

LED CANDLE

WOJ+14070

LED source LED CANDLE 2 W with E-14 base and with a 'candle' shape'. The unique design of the decorative MODERNSHINE series creates a warm atmospheric light effect, creating a pleasant atmosphere and mood lighting. It is characterised by a high light efficacy 130 lm/W. It is even more energy-efficient thanks to the use of durable COG filaments, which consume very little electricity. Wide beam angle 300° ensures even illumination of the room.




Power	2 W	Voltage	230 V
Luminous flux**	260 lm (360°)	Colour temperature	2400 K
Colour of light	WW	Beam angle	300 °
Socket	E14		

Technical data

Code	WOJ+14070
Power	2 W
Nominal current	20 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	2 kWh/1000h
Frequency	50HZ Hz
Power factor	0.4
Useful luminous flux*	260 lm (360°)
Luminous flux**	260 lm (360°)
Lamp efficacy	130 lm/W
Colour temperature	2400 K
Colour of light	WW
Beam angle	300 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	E14
Dimension (AxBxC)	35x100 mm
For use	Inside
Application	INT
Made in	PRC

Related documents



 Declaration of Conformity

