



CorePro GLASS LED candles and lusters

CorePro LEDCandleND2-25W ST35 E14 827CLG

Featuring a classic heritage design, these filament LED candle combines the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb, a very easy choice for people who are looking for a retrofit LED replacement, the LED candle provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data

General Information	
Cap-Base	E14 [E14]
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	827 [CCT of 2700K]
Luminous Flux	250 lumen
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	125.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	2 W
Lamp Current (Nom)	20 mA
Wattage Equivalent	25 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	36 °C
Controls and Dimming	
Dimmable	No

CorePro GLASS LED candles and lusters

Mechanical and Housing

Bulb Finish	Clear
Bulb Shape	ST35

Approval and Application

Energy Saving Product	Yes
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	2 kWh
EPREL Registration Number	387,362
CE mark	Yes
EU RoHS compliant	Yes

Product Data

Full product code	871951434772400
-------------------	-----------------


Order product name	CorePro LEDCandleND2-25W ST35 E14 827CLG
Order code	929001238592
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material number (12NC)	929001238592
Full product name	CorePro LEDCandleND2-25W ST35 E14 827CLG
EAN/UPC - Case	8719514347731

Dimensional drawing




Product	D	C
CorePro LEDCandleND2-25W ST35 E14 827CLG	35 mm	97 mm

Photometric data




Spectral Power Distribution Colour



CorePro GLASS LED candles and lusters

Photometric data



Light Distribution Diagram - CorePro LEDCandleND2-25W ST35 E14 827CLG

Lifetime



Life Expectancy Diagram - CorePro LEDCandleND2-25W ST35 E14 827CLG



Lumen Maintenance Diagram - CorePro LEDCandleND2-25W ST35 E14 827CLG

