



CorePro LED candles and lusters

CorePro LEDcandle ND 5.5-40W E14 840 B35 FR

The CorePro LEDcandles and lusters are designed for retrofit replacement of incandescent lamps, and are particularly attractive for chandeliers. They are compatible with fixtures with an E14 holder for candles and E14 or E27 holders for lusters, and are available in either warm white, white or cool daylight color temperatures. LED lamps deliver huge energy savings and minimize maintenance cost. The CorePro LED candles and lusters are perfect for your basic lighting needs. They provide the beautiful light and dependable performance you expect from LED at an affordable price.

Product data

General Information		Operating and Electrical	
Cap-Base	E14 [E14]	Input Frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Nom)	5.5 W
Nominal Lifetime (Nom)	15000 h	Lamp Current (Nom)	50 mA
Switching Cycle	50000X	Wattage Equivalent	40 W
Technical Type	5.5-40W	Starting Time (Nom)	0.5 s
		Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.5
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	840 [CCT of 4000K]	T-Case Maximum (Nom)	85 °C
Luminous Flux (Nom)	520 lm		
Color Designation	Cool White (CW)	Controls and Dimming	
Correlated Color Temperature (Nom)	4000 K	Dimmable	No
Luminous Efficacy (rated) (Nom)	94.55 lm/W		
Color Consistency	<6		
Color Rendering Index (Nom)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %		

CorePro LED candles and lusters

Mechanical and Housing

Bulb Finish	Frosted
Bulb Shape	B35 [B 35mm]

Approval and Application


Energy Consumption kWh/1000 h	6 kWh
-------------------------------	-------

Product Data

Full product code	871869654356600
Order product name	CorePro LEDcandle ND 5.5-40W E14 840 B35 FR

EAN/UPC - Product	8718696543566
Order code	929001205802
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001205802
Net Weight (Piece)	0.040 kg


Dimensional drawing




LED ND 5.5-40W E14 840 B35 FR

Product	D	C
CorePro LEDcandle ND 5.5-40W E14 840 B35 FR	35 mm	106 mm

Photometric data



CorePro LEDcandle 40W E14 840 FR B35



CorePro LEDcandle 25W E14 840 FR B35

CorePro LED candles and lusters

Photometric data




SDPO_LEDCL_0005-Spectral Power distribution

Lifetime



LEDbulb 60W E14 827 FR B38



LEDbulb 60W E14 827 FR B38

