

PRODUCT-DETAILS

8225 EB

8225 EB Loudspeaker 8 cm (3") studio white



General Information

Extended Product Type	8225 EB
Product ID	2CKA008200A0200
EAN	4011395207628
Catalog Description	8225 EB Loudspeaker 8 cm (3") studio white
Long Description	With broadband characteristics. For mounting in hollow walls/ceilings. With spring brackets. In corrosion-resistant metal design. With integrated loudspeaker grid. With screwless terminals. Nominal power: 10 W Frequency response: 90 - 20,000 Hz Impedance: 8 Ohm Drilling measurements: 90 mm

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Technical

Data Sheet, Technical Information	No document needed
Frequency (f)	90...20000 Hz
Number of Electrodynamical Drivers	1
Mounting Type	Built-in
Mounting Position	Ceiling installation

Model Number	8 cm (3")
Color	studio white
Application Function	Data Communication / Multimedia

Environmental

Ambient Air Temperature	Operation -40 ... +70 °C
Degree of Protection	IP20
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	2CKA200000E6741
REACH Declaration	2CKA309999E9999

Dimensions

Product Net Width	105 mm
Product Net Height	105 mm
Product Net Depth / Length	41 mm
Product Net Weight	340 g
Built-In Depth (t ₂)	38 mm

Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	carton 1 piece
Package Level 1 Gross Weight	0.44 kg
Customs Tariff Number	85366990
Country of Origin	China (CN)

Certificates and Declarations

Declaration of Conformity - CE	2CKA200000E6741
--------------------------------	-----------------

Classifications

ETIM 8	EC000652 - Loudspeaker box
ETIM 9	EC000652 - Loudspeaker box
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 69 90

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Flush Mounted Inserts → Multimedia

