



# CorePro LEDspot MV

## Corepro LEDspot 550lm GU10 830 120D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

### Product data


General Information	
Cap-Base	GU10 [ GU10]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Light Technical	
Color Code	830 [ CCT of 3000K]
Beam Angle (Nom)	120 °
Luminous Flux (Nom)	550 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	110.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	5 W
Lamp Current (Nom)	41 mA
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s

Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	65 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Shape	PAR16 [ PAR 2 inch]
Approval and Application	
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	5 kWh
Product Data	
Full product code	871869668688100
Order product name	Corepro LEDspot 550lm GU10 830 120D
EAN/UPC - Product	8718696686881
Order code	929001297232
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10

# CorePro LEDspot MV

Material Nr. (12NC)	929001297232
Net Weight (Piece)	0.038 kg



## Dimensional drawing



CLA LEDspotMV ND 500lm GU10 830 120D


Product	D	C
Corepro LEDspot 550lm GU10 830 120D	50 mm	55 mm

## Photometric data



CLA LEDspotMV ND 5W PAR16 GU10 830 520lm


CLA LEDspotMV ND 5W PAR16 GU10 830 520lm




CLA LEDspotMV ND 5W PAR16 GU10 830 520lm

# CorePro LEDspot MV

## Lifetime



CLA LEDspotMV 50W GU10 827 36D ND



CLA LEDspotMV 50W GU10 827 36D ND

