



# CorePro LEDcapsule LV

## CorePro LEDcapsuleLV 2.7-28W G4 827

The CorePro LEDcapsule is a true alternative to the halogen capsule. It is particularly suitable for task lighting and decorative applications in homes, shops, hotels and restaurants. Compatible with existing fixtures with G4 holders and designed for retrofit replacement of halogen capsules, CorePro LEDcapsule delivers huge energy savings and minimizes maintenance costs without any compromise on light quality.

### Product data

General Information		Input Frequency	
Cap-Base	G4 [G4]	Input Frequency	- Hz
Nominal lifetime	15,000 hour(s)	Power Consumption	2.7 W
Switching Cycle	50,000	Lamp Current (Nom)	340 mA
Lighting Technology	LED	Wattage Equivalent	28 W
Flux measurement reference	Sphere	Starting Time (Nom)	0.5 s
		Warm-up time to 60% light	0.5 s
		Power Factor (Fraction)	0.65
		Voltage (Nom)	ac electronic 12 V
Light Technical		Temperature	
Color Code	827 [CCT of 2700K]	T-Case Maximum (Nom)	85 °C
Beam Angle (Nom)	300 degree(s)		
Luminous Flux	315 lumen	Controls and Dimming	
Color Designation	Warm White (WW)	Dimmable	No
Correlated Color Temperature (Nom)	2700 K		
Luminous Efficacy (rated) (Nom)	116.00 lm/W	Mechanical and Housing	
Color Consistency	<6	Bulb Shape	Capsule
Color rendering index (CRI)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %	Approval and Application	
		Suitable For Accent Lighting	No
Operating and Electrical			
Line Frequency	- Hz		

# CorePro LEDcapsule LV


Energy Consumption kWh/1000 h	3 kWh
EPREL Registration Number	374,875
CE mark	Yes
EU RoHS compliant	Yes

## Product Data

Full product code	871869976775400
Order product name	CorePro LEDcapsuleLV 2.7-28W G4 827




Order code	929002389202
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12
Material number (12NC)	929002389202
Full product name	CorePro LEDcapsuleLV 2.7-28W G4 827
EAN/UPC - Case	8718699767761

## Dimensional drawing



Product	D	C
CorePro LEDcapsuleLV 2.7-28W G4 827	15 mm	40 mm

## Photometric data



Light Distribution Diagram - CorePro LEDcapsuleLV 2.7-28W G4 827

# CorePro LEDcapsule LV

## Lifetime



Life Expectancy Diagram - CorePro LEDcapsuleLV 2.7-28W G4 827

Lumen Maintenance Diagram - CorePro LEDcapsuleLV 2.7-28W G4 827

