

Product End of Life Instructions

TV R OUTLET INTERMEDIATE 2 MODULES






Potential disassembly risks

Electric shock due to Electrical components containing energy.



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
Other	1	Metal alloys	41	Shredding
Other	2	Plastic parts	29,8	Shredding
To be depolluted	3	Electronic Board (Power) > 10cm ²	3,8	
Other	4	Metal alloys	40,8	Shredding



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider electric
Product function	The main function of the UNICA TV R OUTLET INTERMEDIATE 2MOD is to transmit the television frequencies coming from the TV cable to the TV connected plug.
Product reference	NU545318D

Additional similar product references	NU545318D NU345018 NU345020 NU345030 NU345054 NU345118 NU345130 NU345154 NU345218 NU345230 NU345254 NU345318 NU345330 NU345354 NU345418 NU345430 NU345454 NU345518 NU345530 NU345554 NU345618 NU345630 NU345654 NU346118 NU346120 NU346130 NU346154 NU346218 NU346220 NU346230 NU346254 NU545018F NU545030F NU545054F NU545118D NU545130D NU545154D NU545218D NU545230D NU545254D NU545330D NU545354D NU545418 NU545418D NU545430 NU545430D NU545444 NU545454 NU545454D NU545518 NU545530 NU545544 NU545554 NU545618 NU545630 NU545644 NU545654 NU546218 NU546218F NU546230 NU546230F NU546244 NU546254 NU546254F NU546318 NU546330 NU546344 NU546354 NU546418 NU546430 NU546444 NU546454
Total representative product mass	113 g
Representative product dimensions	85mm x 85mm x 27mm
Accessories	Is possible to add accessories to TV R OUTLET INTERMEDIATE 2 MODULES NU545318D. This includes aesthetic frame.
Date of information release	06/2018

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	51%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.schneider-electric.com/contact>
35, rue Joseph Monier
CS 30323
F- 92506 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €

www.schneider-electric.com

Published by Schneider Electric

ENVEOLI1802011_V1

© 2017 - Schneider Electric – All rights reserved

06/2018