

LED G4

WOJ+13784

LED source LED G4 1,2 W. It is perfect for use in households, hotels, shops, or restaurants as decorative or accent lighting, and can be installed in luminaires that have a G4 base.. It is characterised by a high light efficacy 133 lm/W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier



Power	1,2 W	Voltage	12 V
Luminous flux**	160 lm (360°)	Colour temperature	3000 K
Colour of light	WW	Beam angle	120 °
Socket	G4		

Technical data

Code	W0J+13784
Power	1,2 W
Nominal current	110 mA
Voltage	12 V
Energy efficiency class	D
Energy consumption	2 kWh/1000h
Frequency	0-50HZ Hz
Power factor	0,4
Useful luminous flux*	160 lm (120°)
Luminous flux**	160 lm (360°)
Lamp efficacy	133 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	120 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	G4
Dimension (AxBxC)	ø20x30x8 mm
For use	Inside
Application	INT
Made in	PRC

Related documents



 Declaration of Conformity

