

# PIATTA


SLI003044CCT\_PW

See  
more

LED luminaire PIATTA with the possibility of changing the light color (CCT), with a power of 18 W, high light efficacy 130 lm/W. Thanks to the ability to change the color temperature (CCT) in the range from 3000K to 6000K, we can adjust the light color depending on our needs and preferences. It has a high IP44 rating, making it ideal for use in areas of high humidity. The CCT function allows you to changes to the colour temperature of light (3000/4000/6000K). Designed for surface mounting.

CCT

IP44




Power	<b>18 W</b>	Voltage	<b>230 V</b>
Luminous flux*	<b>2350 lm (360°)</b>	Colour temperature	<b>3000/4000/6000 K</b>
Colour of light	<b>CCT</b>	Degree of protection (IP)	<b>IP44</b>

## Technical data

---


Code	SLI003044CCT_PW
Power	18 W
Nominal current	135 mA
Voltage	230 V
Energy consumption	18 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power factor	0.5
Useful luminous flux*	2350 lm (360°)
Luminous flux**	1800 lm (360°)
Lamp efficacy	130 lm/W
Colour temperature	3000/4000/6000 K
Colour of light	CCT
RA	80
Light source included	+
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Housing material	Plastic
Degree of protection (IP)	IP44
Colour	Gray
Dimension (AxBxC)	250x47 mm
For use	Inside/Outside
Assembly method	On the ceiling
Application	INT/EXT
Made in	PRC
Other	Light color change function 3000K/4000K/6000K ,



## Related documents

---



 User manual



 Declaration of Conformity



 Photometric file

