

# PRODUCT DATASHEET

## 64652 HLX

Low-voltage halogen lamps without reflector | Low-voltage halogen lamps without reflector



---

## TECHNICAL DATA

### Electrical data

Nominal wattage	250 W
Construction wattage	250.00 W
Nominal voltage	24 V
Nominal current	10.83 A

### Photometrical data

Luminous flux	8200 lm
Luminous efficacy	32 lm/W
Color temperature	3400 K
Color rendering index Ra	100
Light color	1034

### Dimensions & Weight

Overall length	46.00 mm
Light center length (LCL)	31,8 mm
Diameter	11.50 mm
Product weight	2.6 g

### Lifespan

Lifespan	50 h
----------	------

### Additional product data

Base (standard designation)	GX5.3
Mercury content	0.0 mg

### Capabilities

Burning position	p90/p15
------------------	---------

### Country-specific categorizations

Order reference	64652 HLX
-----------------	-----------

### Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	GX5.3
Length	46.00 mm
Height	11.50 mm
Width	11.50 mm

---

## DOWNLOAD DATA

## DOWNLOAD DATA



Advertisements

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4052899100916	Folding box 1	25 mm x 23 mm x 70 mm	4.60 g	0.04 dm <sup>3</sup>
4052899100923	Shipping box 40	144 mm x 107 mm x 121 mm	165.00 g	1.86 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.