

Unica

Catalogue 2016





P113219

Unica Class



P113192

Unica Top



P86303

Unica Plus



P84932



Appearance counts

Unica Quadro




P1104530

Unica Allegro



P86338

Unica Colors



P91459

Unica Basic



P86055



Contents

Presentation

Unica ranges overview	6
Solutions for comfort, communication, safety and energy-saving	8
Unica for KNX system	16
Comprehensive functionalities	20
Installation system	22
Technical benefits	24

Unica Class, Top

Presentation	26
Inserts	28
Unica Class aesthetics and cover frames	42
Unica Top aesthetics and cover frames	52

Unica Plus, Quadro, Colors, Basic

Presentation	58
Inserts	62
KNX inserts.	78
Unica Plus aesthetics and cover frames	80
Unica Quadro aesthetics and cover frames	88
Unica Colors aesthetics and cover frames	94
Unica Basic aesthetics and cover frames	100


Technical information

(excluding Unica KNX).	103
--------------------------------	-----

Unica KNX

Presentationxxx
Quick-selection guidexxx
Technical information.xxx

Reference number overviewxxx
-------------------------------------	------



Unica Class


Modern life makes us long for nature, with the original, true and pure building blocks of our existence. Like the comforting sight of clear ocean waves, the dust from ochre-colored soil. Or the unexpected chilly hardness from a jagged piece of rock...

Unica Class cover frames brings the roughness of minerals, the beauty of crystal transparency and many other sensations into your life. Open your door and let nature into your home!

Unica Top



A Unica Top choice is what it sounds like. A top choice! Concern about detail is necessary to make a perfect result. Unica Top is made to last, and to make a lasting impression. Don't miss out on the distinction. Find what exclusively matches you!





P80091

Unica Plus

Includes that little extra that makes a difference. Satisfying high demands concerning longevity, functionality and cared design. A choice signalling exclusiveness – carrying the impression and comfort of your home to new levels.



P84929



P84939



P105762

Unica Quadro

The trendy choice. Provides your home with a young, fresh, minimalistically modern look. In sparkling red or aesthetic silver. Make a statement: Every spot in your home is worth design attention.



P104523




P104529



P80200

Unica Colors

Give each room its own personality. Match your style and interior, as often as you please. A real versatile choice, with several opportunities.



P84986



P91461



P80180

Unica Basic

A choice clearly above the design of the mainstream selection. With a sober, timeless stylish expression, pointing out that you have high standards and care about what your home looks like.




P84952



P86055

Solutions for comfort, safety and energy-saving

Imagine exploring the resources of Unica in every detail, in order to enhance the refined and elegant atmosphere of your home. Wouldn't a decorator's bliss be to find that with the numerous shapes and colours would also be included the most imaginative functions for cerebral and sensuous comfort? And – at the tip of your finger, getting energy-saving.



P105683

Living-room

- Weekly programmable thermostat**
Have your home at the right temperature every time. Saves energy – and keeps you comfortable!
- Weekly programmable timer**
Will save an unexpected amount of energy and prolong the lifetime of your entertainment system.
- Loudspeaker socket**
Enjoy the access of your sound system at every point.
- Weather station**
Making decisions easier while chasing kids into the right clothes
- Roller-blind (and/or curtain) switch**
Lights out for movie time, or good morning sunshine?
Done in a few seconds.
- Switch with indicator lamp**
Signals that a light is on at the terrace.



P105656

Roller blinds

Bedroom

- Save the energy – with enhanced comfort**
Prefer a cool bedroom at night?
The thermostat adds power only when necessary.
- More Unica Top in the bedroom**
Wake-up clock. Light dimmer.
Weather station. Roller-blind control.



P105651

Wake-up clock

Bathroom

- Weekly programmable thermostat**
To have the home at the right temperature every time, optimizing the energy.
- Signal lamp**
If this room is occupied – you will know.
- Cord push-button**
Be smart! A panic alarm command – just in case!
- Emergency light**
Ever been in a bathroom without windows during a power failure? Don't be!



P105652

Weekly programmable thermostat



P105946

Staircase



P106653

Time delay switch

Time delay switch

For areas where you pass through. Truly energy-saving will make sure the light is only on for a short time, no need to think about switching off. Can easily be combined with a push button.



P124834

Switch with blue locator lamp

Garage

Time delay switch

For areas where you pass through. Will make sure the light is only on for a short time.

Basic thermostat

One of the best places to save energy. A precise control of temperature, without significant drops or increases.

IP44/IP55 covers or surface boxes

For extra safety and protection using electric equipment.

Switch with blue locator lamp

Blue lamp. Always on.

Kitchen



P106654

Rotary dimmer

Weekly programmable thermostat

Let the heart of your home be a warm kitchen. But not too warm!

Weekly programmable timer.

Program the working time of some loads. Saves energy!

Double-pole switch

Double electrical safety. Isolate your devices completely from the installation. Extra important in a kitchen.

High rating switch

Need to run high amp loads at the same time? Without blowing your fuse (or the kitchen fuse).

Alarm-clock

Clock- and alarm function.

Dimmer

Create lighting ambiances, save energy and money.



P106651

Weekly programmable timer

Laundry

Weekly programmable timer.

Program the working time of some loads. Saves energy! And makes sure you are not leaving appliances turned on by mistake.

Basic thermostat

One of the best places to save energy. A precise control of temperature, without significant drops or increases.

IP44/IP55 covers or surface boxes

For extra safety and protection using electrical equipment.



P106656

Roller-blind switch

Home office

Weekly programmable thermostat

To have the home at the right temperature every time is comfortable, and it also optimizes the energy.

Weekly programmable timer

Lights up or starts up (or shuts down) your preferred devices. Will save an unexpected amount of energy and prolong the lifetime of your computer system, printers etc.

Loudspeaker socket

Enjoy the access of your sound system.

Roller-blind (and/or curtain) switch

Lights out or not? Easy peace!



P106657

Emergency light

Storage



P106658

Movement and presence detector

Switch with blue locator lamp

Blue lamp. Always on.

Signal lamps

So that you can tell the status of any connected device, without having to go in there and check.

Movement and presence detector

Automatically activates light (or other functions) when you enter.

Entrance

Key card switch

Welcome home! Easily turns on preferred lights and devices from one single point. Activated by you, unlocking the door. Or deactivated, when you lock and leave.

Switch with blue locator lamp

Blue lamp. Always on.

Emergency light

Find your way out safely in case of a power failure!

Weekly programmable thermostat

To have the home at the right temperature every time, optimizing the energy.



P113207

Comfort

Your home is your considerate friend

Your Unica home helps you keep the right atmosphere at any moment. All day and all night. Any season of the year, your house knows what you need, what you like and how to get you in the right mood. You can direct a suiting ambience for the occasion, and recall it all, at the touch of a button. No sweat. Make the most of your energy – and do it with comfort.



P116587

Thermostat

To get the right temperature at home, to save energy and money. Regulation at finger tips. Clear indication.



P116582

Roller-blind

Roller-blind command in the same cover frame and finish as the rest of the wiring devices. With Unica wireless you can centralize the command and close all shutters at the same time.



P116583

Movement and presence detector

The light when you need it without looking for switches. Good comfort for children, when people wake up at night. Saves energy and money.



P116584

Rotary dimmer

Create light ambiances as you want them. Saves energy, and money.



P116585

Weather station

Weather indication in one sight. Gives humidity, temperature in the room, atmospheric pressure, clock.



P116586

Time delay switch

Stops automatically, you don't need to think about switching off. You can regulate the time you want the switch to be on.



P104878



P104154



Communication

Stay connected

Real-time communication, sharing and distributed on-demand entertainment are a natural part of your life. The demands of effective data transfers push things forward at an incredible speed as the connected community grows.

E-mail, message, on-line gaming, IP phones, music and video mix and redefine the concept of home entertainment and communication. Information is always there when you need it and your good friends are at close reach. Voice, data and living images put you on the spot where it happens, even when you are at home. Your home becomes your hub of life.



TV-SAT socket-outlet
Main standards available.
Different types of gain loss and installation habits.

P116589



RJ45 data socket
Main standards available.
Compatible with main connectors.
Full range of infraplus and LexCom data sockets.

P116588



RJ12 data socket
Socket for telephone service.

P116590



P104137





P113237



P104155



P104160

Centralization cover frame, 2 x 6 modules, with outlets. Glossy chrome/aluminium.



P105740

Loudspeaker socket
Choose the best place for your loudspeaker sockets. Or add a few for extra comfort.



P105647

Wake-up clock
A clock with many functions; time, temperature, alarm-clock with up to 9 programmable alarms. Same design as other Unica wiring devices.



P105741

Buzzer
Door-bell. Same design as other Unica wiring devices.



P105742

Electronic door-bell
Choose between 5 different melodies. Same design as other Unica wiring devices.



Safety and security

Your reliable guard

Who looks after your home when you're on holiday? Your friends and family? Well, in a former life maybe. Nowadays your home looks after itself, with the use of Unica Top weekly programmable thermostats and timers. Of course electricity in itself is a powerful source. And if it's left uncontrolled it can be dangerous and cause extensive damage. A Unica home helps avoid those problems. Your home is your reliable guard. But take a tip and invite your friends and family to stay in your house anyway. Not to look after it, but to enjoy it.



Emergency light

To get some light in case of power failure, it has a battery inside. Suitable in stairs for instance or corridors.



Shuttered socket-outlet

Safety for children. Also available with a hinged flap.



Key rotary switch

The key is the command for the switch, only the key can allow one of the two positions (on/off). If you remove the key, the access is blocked. Save energy and money, keep the lead on light.



P113236



P113 394



P104153



P105746

Key card switch
Can control access, lights,
equipments.



P105857

Emergency light
Find your way out safely in
case of power failure!

Unica for KNX system





P117504

Greater flexibility and comfort, better energy efficiency with KNX

More and more electronic appliances are needed for modern comfortable homes that contain everything from computers to home cinemas. Does this mean simply increase electricity consumption despite rising energy costs?


A better, faster, cheaper and cleaner solution is to use energy more efficiently. This is not only better for the environment but for your wallet too.

P109532



Intelligent and good looking home

P117500



Connect Unica to your KNX system!



P117503



Reading in your favourite armchair in the evening, watching TV on the sofa or dining with family or friends is all the more comfortable if you don't have to get up to switch each light, lamp or thermostat on or off individually.

By setting up individual scenes – for instance using a Unica multi-function push-button – you can combine a wide range of different functions. Once a scene has been created, it can be started at the push of a button – to create a suitable light mood when watching TV or reading for instance or when leaving the house in the morning. If, when doing so, you want the blinds to be raised, the lights switched off and heating turned down, you can activate the «Not at home» scene and all functions will be executed automatically.

P119163



Push-button

- Can be used to control lights or roller blinds.
- The system can be used to control lights and roller blinds according to the sunlight when coupled with a sensor.

P119165



IR push-button

- Can be used to control lights or roller blinds.
- Can be controlled by KNX IR remote control.

P119161



Automatic lighting control

- Can activate roller blinds or lights
- The system can be used to control lights and roller blinds according to movement detection in corridors, staircases.

P119164



P105932



Interested by the intelligent system?
See [KNX catalog](#)

P119162



Individual heating control

- Presence-dependent room heating.
 - Heat is supplied automatically at the exact time required and individually via controllable room temperature control units. No need to turn the radiators up and down manually.
- Don't worry: if you forget to do it, the KNX system will remember to do it for you.

Comprehensive functionalities

Imagine every necessary technical function and appliance that you would wish to be available in your home. The Unica range will most certainly cover every corner of those needs. And be assured, under the attractive surface, every Unica product offers a quality construction. So please, pay a moment of attention to our Unica State Of The Art “Outletology” Chart. Make your choices, and get ready to plug and play.



European socket-outlet

P86923



TV FM SAT socket

P86950



RJ12 data socket

P86908




German socket-outlet

P86910



RJ11 data socket

P86955



Euroamerican socket-outlet

P86914



European socket-outlet

P86947



French socket-outlet

P88794



British socket-outlet

P86915

P85953		Weather station	P80317		Basic thermostat	P85956		Push-button dimmer switch
P85957		Switch with blue locator lamp	P85952		Key card switch	P85949		Indicator lamp, green
P85980		Push-button with bell symbol and blue locator lamp	P85909		4-position switch	P85918		Indicator lamp, orange
P85946		Push-button with light symbol and blue locator lamp	P85911		Fuse holder	P85920		Indicator lamp, white
P85905		Roller-blind	P85912		Buzzer	P80319		Movement and presence detector
P85907		Push-button with bell symbol	P85913		Electronic doorbell	P104699		Wake-up clock
P85938		Push-button I/O	P85917		Double switch			
P104677		Rotary dimmer	P104679		Time delay switch			
P104678		Key rotary switch						

Installation system



A broad range of mechanisms
A collection covering everything from traditional solutions to the latest electronic technology.



A personalized style
From functional white cover frames with coloured decorative frames for a warmer decor, to our stylish supports for the most demanding interior decoration requirements.




Maximum ease and simplicity
Together with its versatility, wide collection and customization, our range offers ease of installation thanks to our meticulous care over all the details.

1-2-3-4-5 gang

The Unica range has a large number of interfaces to comfortably use the high functionality of the range.



Multigang aesthetic cover frames
Cover frames for flush or surface installations. Horizontal and vertical versions from 1 to 5 gang.






Limit your stock:
In the Unica Quadro, Unica Colors and Unica Basic ranges, the same cover frames can be fitted either vertically or horizontally.




Adaptation to the surrounding space:
The cover frames of Unica Quadro, Unica Colors and Unica Basic can be fitted in whatever way suits the available space best.

Surface CE60 boxes
Surface individual or multiple boxes for vertical or horizontal installations.



Installations in detail


Many years of research and experience have enabled us to produce one of the best fixing frames on the market, combining ruggedness and corrosion resistance with ease of use and fitting. Manufactured in zamak.



P105683
Long fixed claws



P105815



P105792




Always straight:
Easier to align, with a straight supporting surface that makes it easy to use a level.

No sharp edges:
Manufactured in zamak, the fixing frame is rugged and corrosion resistant. As it is not die-cut, there are no sharp edges.


Easy to fit:
The mounting points and symmetric geometry of the frame assure the possibility to fix horizontally or vertically.

Aesthetics in detail


The final look of an installation does not depend just on the colour and design of the visible parts. It is also essential that all the parts of a light point go together, that they suit the space in which they are fitted and that they are durable. With Unica all this, and more, is possible.



P105795, P105796



P105794



P105796




P105797

Perfectly fitted cover frames
The cover frames snap onto the box at four points by means of ratchet-type anchor-pins permitting:

- Precise fixing against irregular walls.
- No hold-ups even though the box stands 0.75 mm out of the wall or is recessed 2.25 mm.

Designed down to the last detail:
To achieve an aesthetically pleasing design, the curvature of the insert cover frame means that the relief markings on the decorative frame should be parallel to the axis on which the insert pivots.



P105798

Always as good as new:
The gloss finish of the insert and cover frames makes them easy to clean. Just wipe with a cloth and they look as good as new. A cloth is also perfect for cleaning the Unica Top wood and metal frames.

Technical benefits

Switches in detail

Reduce installation time by up to 20%

The overall aim of the new Unica wiring devices is to simplify the installer's job. To achieve this we have worked particularly on all the tiny details of installing our control devices.




Screwless terminals with ergonomics release buttons for 1.5 to 2.5 mm² for rigid and flexible wire.

Safer wiring thanks to the electrical wiring diagram on back engraved by laser (lower risk of incorrect wiring, better visibility at twilight).



Only terminals needed are open.




In both 10 A (grey) and 16 A (black) switches the terminal connection system is by screws.



Installation details, optimal wire stripping lengths and quality marks are clearly marked on the sides of the devices.



No more wiring up indicator lamps: devices with locator/indicator LED lamps do not need an external indicator as it is already built-in.



Low consumption LED lamps:

- no flickering,
- longer lifetime,
- brighter light.

Socket-outlets in detail


Based on our customers' experience as installers, gathered through exhaustive market research, we have developed the fitting and safety features of our socket-outlets to match them to ever stricter productivity and safety requirements.



At the speed of light: Two basic features in the design of the socket make it possible to reduce wiring times substantially. Firstly, the alignment of the terminals makes it possible to cut the wires simultaneously, and secondly sockets are supplied with the terminal screws pre-loosened, eliminating a step in installation.

Childproof: Sockets are fitted with shutters to prevent children inserting foreign bodies in them. These shuttering units are covered with plastic to avoid any damages.

Greater safety: Well dimensioned terminals separated by high walls to avoid short-circuit risk when flexible wires are used.



Available in screwless version with easy color code for cabling.

Centerplate clip in system (no screw): Pre-clipped delivery form for screw version, already clipped for screwless version.



Pilot lamp version: LED is connected as soon as the centerplate is clipped. Possibility to upgrade a simple version to a lamp version with one accessory.



Data sockets in detail

The new Infraplus and LexCom ranges of RJ45 data sockets guarantee optimal connections and high reliability for voice and data transmission, more than meeting the requirements of cat 5e and cat 6.

Ease of connection:
Cables can be connected without tools to the RJ45 socket by hand. Faster cable termination by clipping.

Universal connection:
Complies with all connection conventions: EIA/TIA 568A, 568B.

A wide range:
RJ45 sockets are available for unshielded, foiled and shielded cables meeting the range requirements necessary for cat 5e and cat 6.

Precision technology:
Connectors designed with dual layer compensation to reduce cross talk between wires and improve attenuation characteristics.

U-shaped cable entry with a smart bridle:
Despite being compact in size, the connector has enough room inside for your work. Both space and functions are designed to ease your installation.



P121600

Innovative U-shaped cable entry and spring-loaded earthing bridle.



P121608

Automatic 360° earthing



P121609

Integrated earth-drain contact to provide double earthing

Reliable connections:
Internal contacts: IDC technology to make the connection with the copper wire easier.

Cable organizer:
Easy organization of cables and simultaneous connection of the 4 pairs of cables. Cat 5e: green, cat 6: blue shutter cap colour. Using the organizer ensures the untwisted length is less than the minimum set by the standards (<13 mm.) The organizer is colour-coded for error-free connection.




P121603

Reinforced 360° hood:
CFF – Compact Form Factor improves performance and higher flexibility of connector orientation during installation, and ensures the grounding continuity of the installation.

Protection of the IDC:
The IDC are inserted in a plastic cavity, that's why it's impossible put his fingers on the IDC.

The range is colour-coded:
Both shielded and unshielded connectors are coded according to the same system. Dark blue for Cat6A, Light blue for Cat6 and green for Cat5e.

Label holder to identify port number and services.



P105909



P105810




P105811

Dust-protection shutter

Electronic inserts in detail

New microelectronics-based technological solutions that allow you to install latest-generation electronic functions with the same ease and simplicity as with an electro-mechanical mechanism.




P124781

Error-free connections
All the terminals are clearly marked with symbols to enable error-free wiring. Power terminals and auxiliary terminals are located separately for clarity.



P105789


Design and ergonomics
Maximum attention has been paid to design and ergonomics to ensure they look right in any setting.



P105890

Vanguard technology
Gradual function and totally silent operation thanks to the use of transistor technology.

P105814



P105813

P86881

More features, same depth
Electronic inserts have a larger number of terminals than traditional inserts, so there fore they need more cables. This makes the depth of the device a decisive factor in the ease of installation.

Do less to achieve more
Without adding a single cable, a lighting controller can replace a conventional switch, making them quick and easy to retrofit.

Unica Class Unica Top






MGU50.201.30Z



MGU50.203.12Z



MGU50.205.30Z



MGU50.213.12Z



MGU50.262.30Z

Controls

10 AX – 250 V AC switches

10 AX one-way screwless terminals



Colour

2 modules


aluminium

MGU50.201.30Z

graphite

MGU50.201.12Z

10 AX two-way screwless terminals




2 modules

MGU50.203.30Z

MGU50.203.12Z

10 AX intermediate screwless terminals



Colour

2 modules


aluminium

MGU50.205.30Z

graphite

MGU50.205.12Z

10 AX double two-way screwless terminals




2 modules

MGU50.213.30Z

MGU50.213.12Z

With external power connection

10 AX double one-way screwless terminals



Colour

2 modules

aluminium

MGU50.211.30Z


graphite

MGU50.211.12Z

With internal power connection

16 AX – 250 V AC switches

16 AX double pole one-way screw terminals



Colour


2 modules

aluminium

MGU50.262.30Z



MGU50.201.30NZ



MGU50.201T.12NZ



MGU50.203.30NZ



MGU50.263.30NZ




MGU50.262.30SZ




MGU50.262.12SZ

10 AX – 250 V AC switches with blue locator lamp

10 AX one-way screwless terminals




10 AX one-way screw terminals



Colour	2 modules	2 modules
aluminium	MGU50.201.30NZ	MGU50.201T.30NZ
graphite	MGU50.201.12NZ	MGU50.201T.12NZ

Blue LED lamp, connected internally

10 AX two-way screwless terminals




Colour	2 modules
aluminium	MGU50.203.30NZ
graphite	MGU50.203.12NZ

Blue LED lamp, connected internally

16 AX – 250 V AC switches with blue locator lamp

16 AX two-way screw terminals




Colour	2 modules
aluminium	MGU50.263.30NZ

Blue LED lamp, connected internally

16 AX – 250 V AC switches with amber indicator lamp

16 AX double pole one-way screw terminals



Colour	2 modules
aluminium	MGU50.262.30SZ
graphite	MGU50.262.12SZ

Amber LED lamp, connected internally



MGU50.206.30Z




MGU50.206.30NZ



MGU50.206T.12NZ




MGU50.701.30Z



MGU50.701.12Z

10 A – 250 V AC push-buttons


10 A screwless terminals



Colour	2 modules
■ aluminium	MGU50.206.30Z
■ graphite	MGU50.206.12Z


10 A – 250 V AC push-buttons with blue locator lamp

10 A screwless terminals



Colour	2 modules
■ aluminium	MGU50.206.30NZ
■ graphite	MGU50.206.12NZ

10 A screw terminals




Colour	2 modules
■ aluminium	MGU50.206T.30NZ
■ graphite	MGU50.206T.12NZ

Blue LED lamp, connected internally

Key and rotary switches

Key switch – 2 positions



Colour	2 modules
■ aluminium	MGU50.701.30Z
■ graphite	MGU50.701.12Z



MGU0.825.AL



MGU0.822.AL



MGU0.823.AM



MGU0.825.AZL



MGU0.822.AZL

Replacement lamps

LED for 250 V AC switches and push-buttons with locator/indicator lamp

Colour		
amber	MGU0.825.AL	MGU0.822.AL
blue	MGU0.825.AZL	MGU0.822.AZL
	For switches and push-buttons with screwless terminals from November 2011 (except intermediate switches).	<ul style="list-style-type: none"> ● Before November 2011, for all switches and push-buttons, ● From November 2011, for switches and push-buttons with screw terminals and intermediate switches.

LED for 12 V AC push-buttons

Colour	
yellow	MGU0.823.AM

Specialized controls

Mechanisms for roller blinds



MGU50.208.30Z




MGU50.207.12Z


	10 A switch screwless	10 A push-button screwless
Colour	2 modules	2 modules
aluminium	MGU50.208.30Z	MGU50.207.30Z
graphite	MGU50.208.12Z	MGU50.207.12Z
	With mechanical and electrical safety latching to prevent simultaneous activation in both directions	

Comfort controls

Rotary electronic dimmer switches





MGU50.511.12Z MGU50.510.12Z




MGU5.512.30ZD MGU5.512.12ZD







MGU50.515.12Z

40-400 W/VA one/two way switch		400 VA, 1-10 V for fluorescent tubes	
			
Colour	2 modules	Colour	2 modules
■ aluminium	MGU50.511.30Z	■ aluminium	MGU50.510.30Z
■ graphite	MGU50.511.12Z	■ graphite	MGU50.510.12Z
	<ul style="list-style-type: none"> ● one pulse to switch on (or off) and rotation to regulate load ● 2-wire connection 		<ul style="list-style-type: none"> ● max. control current: 200 mA ● compliant with the interference suppression (EMC) standard EN 60669-2-1 ● 4-wire connection










40 -1000 W/VA	
	
Colour	2 modules
■ aluminium	MGU5.512.30ZD
■ graphite	MGU5.512.12ZD
	<ul style="list-style-type: none"> ● compliant with the interference suppression (EMC) standard EN 60669-2-1 ● 3-wire connection

Push-button dimmer switch

Multi-load Variapush (pulse control) 20-350 W/VA	
	
Colour	2 modules
■ aluminium	MGU50.515.30Z
■ graphite	MGU50.515.12Z
	Compliant with the interference suppression (EMC) standard EN 60669-2-1

			
MGU50.510.xx	MGU50.511.xx	MGU5.512.xx	MGU50.515.xx
	400 W	1000 W	250 W
	400 W	1000 W	350 W
	400 VA	1000 VA	350 VA
			300 VA
			350 VA
400 VA 1-10 V			
			200 W
			350 W
		600 W	

Load table

Maximum loads	
	230 V AC incandescent lamps
	230 V AC halogen lamps
	ELV halogen lamps with ferromagnetic transformer (non toroidal)
	ELV lamps with toroidal transformer
	ELV halogen lamps with electronic transformer
	<ul style="list-style-type: none"> ● 230 V AC fluorescent tube, Φ 26 or Φ 38 mm with 1-10 V electronic ballast ● 230 V AC fluorescent tube, 36 W with 10 electronic ballasts (1-10 V) ● 230 V AC fluorescent tube, 2 x 16 W, Φ 26 or Φ 30 mm with 5 electronic ballasts (1-10 V) ● maximum control of 50 electronic ballasts (1-10 V) with an external relay
	230 V AC fans
	230 V AC convectors
	230 V AC motors
Installation	
Installed in place of a switch	
May be controlled by push-buttons: up to 25 push-buttons in the surrounding area	



MGU50.524.12Z



MGU50.525.12Z

Movement and presence detectors

	300 W detector	2300 W detector
Colour	2 modules	2 modules
aluminium	MGU50.524.30Z	MGU50.525.30Z
graphite	MGU50.524.12Z	MGU50.525.12Z

- adjustable disconnection time and brightness
- optional switching of the load connected to the control switch using conventional auxiliary push-buttons

		Load table	
MGU50.524.xx	MGU50.525.xx	Maximum loads	
300 W	2300 W		230 V AC incandescent lamps
300 W	2000 W		230 V AC halogen lamps
	1050 VA		ELV halogen lamps with wire-wound transformer (non toroidal)
	1150 VA		ELV halogen lamps with electronic transformer
	2000 VA cos φ ≥ 0,9		230 V AC fluorescent tubes, Φ 26 or Φ 38 mm
	500 VA		230 V AC compact fluorescent lamps
	200 VA		230 V AV fans
300 W cos φ ≥ 0.95	2300 W		230 V AC convectors
	200 VA		230 V AC contactors
		Installation	
		Parallel connection: max. 2 detectors for a load	
		Possibility of using up to 5 push-buttons in the surrounding area	



MGU50.501.18



MGU50.505.18





MGU50.535.12Z




MGU50.541.18

Thermostats

	8 A basic thermostat	8 A resistive/5 A inductive weekly programmable thermostat
		
Colour	2 modules	2 modules
■ aluminium	MGU50.501.30Z	MGU50.505.30Z
■ graphite	MGU50.501.12Z	MGU50.505.12Z


Used to control heating and air conditioning according to pre-programmed times and temperatures

Time delay switch

	8 A press activated time delay switch
	
Colour	2 modules
■ aluminium	MGU50.535.30Z
■ graphite	MGU50.535.12Z

- for all load types
- adjustable disconnection time (2 s - 12 min.)
- optional switching on using conventional push-button
- included night blue locator lamp

Weekly programmable timer

	Weekly programmable timer
	
Colour	2 modules
■ aluminium	MGU50.541.30Z
■ graphite	MGU50.541.12Z

- 230 V 1200 W (incandescent and halogen)
- 1000 VA (halogen 12 V with electromagnetic transformer)
- 28 intervals



MGU50.545.30Z

Wake up clock

Wake up clock



Colour	2 modules
■ aluminium	MGU50.545.30Z
■ graphite	MGU50.545.12Z

- double alarm
- "SNOOZE" function
- indication of ambient temperature




MGU0.824

Supplementary lamp for key card switch



MGU0.824

For MGU3.283



Socket-outlets

German socket-outlets

16 A – 2P + E, screw terminals



Colour	2 modules
■ aluminium	MGU50.036.30Z
■ graphite	MGU50.036.12Z

Side earth

16 A – 2P + E, shuttered, screw terminals



Colour	2 modules	16 A – 2P + E, shuttered, screw terminals, hinged flap
■ aluminium	MGU50.037.30Z	■ 2 modules MGU50.037.30TAZ
■ graphite	MGU50.037.12Z	MGU50.037.12TAZ
■ red	MGU50.037.03Z	



Side earth

16 A – 45° 2P + E, shuttered, screw terminals



Colour	2 modules
■ aluminium	MGU50.040.30Z
■ graphite	MGU50.040.12Z

Side earth

French socket-outlets

16 A – 2P + E, shuttered, screw terminals



Colour	2 modules
■ aluminium	MGU50.039.30Z
■ graphite	MGU50.039.12Z
■ red	MGU50.039.03Z

Pin earth



MGU50.033.30Z



MGU0.839.30



MGU0.839.12

European socket-outlets

16 A – 2P, shuttered, screw terminals



Colour	2 modules
aluminium	MGU50.033.30Z



Only for replacements

Socket-outlet centerplate with lamp

For french socket-outlet



Colour	2 modules
aluminium	MGU0.839.30
graphite	MGU0.839.12



Data sockets

RJ45/RJ11 data sockets


Category 5e, unshielded and RJ11 – 4 contacts



Colour	2 x 1 module
aluminium	MGU50.979.30Z ⁽¹⁾
graphite	MGU50.979.12Z ⁽¹⁾


RJ45 data sockets

Category 5e, unshielded



Colour	2 modules	2 x 1 module
aluminium	MGU50.421.30Z ⁽¹⁾	MGU50.2020.30Z ⁽¹⁾
graphite	MGU50.421.12Z ⁽¹⁾	MGU50.2020.12Z ⁽¹⁾

Category 5e, shielded




Colour	2 modules
aluminium	MGU50.423.30Z ⁽²⁾
graphite	MGU50.423.12Z ⁽²⁾

Category 6, unshielded



Colour	2 modules	2 x 1 module
aluminium	MGU50.425.30Z ⁽³⁾	MGU50.2424.30Z ⁽³⁾
graphite		MGU50.2424.12Z ⁽³⁾

Category 6, shielded



Colour	2 modules	2 x 1 module
aluminium	MGU50.427.30Z ⁽⁴⁾	MGU50.2626.30Z ⁽⁴⁾
graphite		

RJ45 data connector covers

Universal




Colour	2 modules
aluminium	MGU50.460.30Z
graphite	MGU50.460.12Z

See technical information pages for compatibility table

Actassi S-one RJ45 connectors reference numbers included into Unica data sockets:

⁽¹⁾ VDIB17725U, ⁽²⁾ VDIB17725B, ⁽³⁾ VDIB17726U, ⁽⁴⁾ VDIB17726B.





MGU50.451.30Z

MGU50.451.12Z

TV/FM/SAT sockets

TV/FM sockets

TV/FM socket for parallel distribution systems



Colour	2 modules
■ aluminium	MGU50.451.30Z
■ graphite	MGU50.451.12Z
	<ul style="list-style-type: none"> ● 47-860 MHz ● individual socket

TV/FM sockets for series distribution systems



Colour	2 modules
■ aluminium	MGU50.452.30Z
■ graphite	MGU50.452.12Z
	<ul style="list-style-type: none"> ● 47-860 MHz ● end-of-line (terminal socket)

TV/FM sockets for series distribution systems



Colour	2 modules
■ aluminium	MGU50.453.30Z
■ graphite	MGU50.453.12Z
	<ul style="list-style-type: none"> ● 47-860 MHz ● intermediate socket (passage socket)



MGU50.454.30Z

MGU50.455.12Z

R-TV/SAT sockets

R-TV/SAT socket for parallel distribution systems



Colour	2 modules
■ aluminium	MGU50.454.30Z
■ graphite	MGU50.454.12Z
	<ul style="list-style-type: none"> ● 10-2400 MHz ● individual socket

R-TV/SAT socket for series distribution systems



Colour	2 modules
	MGU50.455.30Z
	MGU50.455.12Z
	<ul style="list-style-type: none"> ● 10-2400 MHz ● end-of-line (terminal)

R-TV/SAT socket for series distribution systems




Colour	2 modules
■ aluminium	MGU50.456.30Z
■ graphite	MGU50.456.12Z
	<ul style="list-style-type: none"> ● 10-2400 MHz ● intermediate socket (passage)

TV/SAT female socket – F type



Colour	2 x 1 module
■ aluminium	U50.6568.30Z
■ graphite	U50.6568.12Z



U50.6568.30Z

U50.6568.12Z



MGU50.462.30Z



MGU50.464.12Z



MGU50.465.30Z



MGU50.467.12Z



MGU50.492.30Z

SAT single shielded sockets

	Male individual	Male terminal
Colour	2 modules	2 modules
■ aluminium	MGU50.462.30Z	MGU50.464.30Z
■ graphite	MGU50.462.12Z	MGU50.464.12Z

5-2150 MHz

Male passage

Colour	2 modules
■ aluminium	MGU50.463.30Z
■ graphite	MGU50.463.12Z

5-2150 MHz

TV single shielded sockets

	Female individual	Female terminal
Colour	2 modules	2 modules
■ aluminium	MGU50.465.30Z	MGU50.467.30Z
■ graphite	MGU50.465.12Z	MGU50.467.12Z

5-862 MHz

Telephone sockets

RJ11 and RJ12

Screw connection. As per RD 1/1998 and RD 279/1999 (ICT): socket for the Terminal Access Database (TAD) for the telephony service.

RJ11 – 4 contacts

Colour	2 modules
■ aluminium	MGU50.492.30Z
■ graphite	MGU50.492.12Z

RJ12 – 6 contacts

Colour	2 x 1 module
■ aluminium	MGU50.9191.30Z

RJ12 – 6 contacts screwless

Colour	2 modules
■ aluminium	MGU50.493.30Z



MGU50.776.TZ



MGU50.862.30Z




MGU50.862.12Z




MGU50.866.30Z



MGU50.866.12Z




MGU50.486.30Z



MGU50.486.12Z


Indication

Emergency light


Emergency light	
	
2 modules	
MGU50.776.TZ	

Complementary offers


Cable outlet

16 A	
	
2 modules	
aluminium	MGU50.862.30Z
graphite	MGU50.862.12Z
<ul style="list-style-type: none"> 3 x 2.5 mm² connection terminals anti-tug clamps 	

Blind cover plates

Blind cover plate	
	
2 modules	
aluminium	MGU50.866.30Z
graphite	MGU50.866.12Z

Loudspeaker accessories

Loudspeaker socket	
	
2 modules	2 x 1 module
aluminium	MGU50.486.30Z
graphite	MGU50.486.12Z
	MGU50.8787.30Z
	MGU50.8787.12Z
Pressure-fixing of terminals	

Unica Class



Unica Class aesthetics

Unica Class Slate



P113108

Natural Slate*
MGU68.002.7Z1

Unica Class Metal



P113192

Ice Aluminium
MGU68.002.7A1



P113194

Apple Aluminium
MGU68.002.7A2



P113196

Corten Steel Oxide*
MGU68.002.7A3

Unica Class Glass



P113188

White Glass
MGU68.002.7C2



P113190

Grey Glass
MGU68.002.7C3



P113186

Black Mirror
MGU68.002.7C1

Unica Class Leather



P113200

Sahara Leather*
MGU68.002.7P1



P113202

Truffle Leather*
MGU68.002.7P2


** Unica Class cover frames are made of true natural materials. For Slate, Oxide, and Leather finishes, the typical natural aesthetic variations of each material have been respected. They are present, making each cover frame unique and different from any other.*



Slate


Minerals are timeless and eternal. Those qualities bring a very special ambience into a room. Stone enhances the simplicity in all strict and neat surroundings. The individual patterns and shapes of minerals also increase a room's personally flavored distinction.

P116402



P116738

Now you can let this fine-grained and metamorphic rock adorn your home with its natural rough elegance and ancient beauty. The slate version of Unica Class deserves to be admired, but it handles actual touching as well, since it has been anti-fingerprint-treated.



P116737



P116412

Metal

It's shining, it's clean. The Unica Class steel and aluminium covers have a solid elegance which enhances spartan interior ideas.



P116604

It's as proper in a working environment, as in the architect's own home. Choose between the brushed Ice or Apple Aluminium, and the Corten Steel with oxidized finishing to get that rusty look.



P113204

Glass

Glass has been used in electric devices from electricity's earliest years. It was also the first modernist architects' preferred material. And now the Unica Class cover frames take the utilization and design of glass one step further.



P116397




P113239

Highlight the crispy ambience in a bright room with Unica Class in radiant white glass, make it exuberant and exciting with black mirror glass, or choose the grey version for a neutral look. All are made of tempered glass for maximum mechanical resistance.



P116391



P116723

Leather

No other material wears the years as well as leather. It's organic, which gives it a completely unique feeling and fragrance. It also has an intriguing shine, which time will increase. And the use of leather in cover frames is as unusual as thrilling!




P116734

The Unica Class frame covers are made of the best quality leather which heightens the level of sophistication in any distinguished setting. Choose between the vibrant chocolate colored Truffle and the creamy beige Sahara.



P116732



P116439
MGU68.002.7C2



P116440
MGU68.004.7C2



P116441
MGU68.006.7C2



P116442
MGU68.008.7C2

1 gang



Colour	
black mirror	MGU68.002.7C1
white glass	MGU68.002.7C2
grey glass	MGU68.002.7C3
ice aluminium	MGU68.002.7A1
apple aluminium	MGU68.002.7A2
corten steel oxyde*	MGU68.002.7A3
slate*	MGU68.002.7Z1
sahara leather*	MGU68.002.7P1
truffle leather*	MGU68.002.7P2

2 gang horizontal and vertical installation



Colour	
black mirror	MGU68.004.7C1
white glass	MGU68.004.7C2
grey glass	MGU68.004.7C3
ice aluminium	MGU68.004.7A1
apple aluminium	MGU68.004.7A2
corten steel oxyde*	MGU68.004.7A3
slate*	MGU68.004.7Z1
sahara leather*	MGU68.004.7P1
truffle leather*	MGU68.004.7P2

3 gang horizontal and vertical installation



Colour	
black mirror	MGU68.006.7C1
white glass	MGU68.006.7C2
grey glass	MGU68.006.7C3
ice aluminium	MGU68.006.7A1
apple aluminium	MGU68.006.7A2
corten steel oxyde*	MGU68.006.7A3
slate*	MGU68.006.7Z1
sahara leather*	MGU68.006.7P1
truffle leather*	MGU68.006.7P2

4 gang horizontal and vertical installation



Colour	
black mirror	MGU68.008.7C1
white glass	MGU68.008.7C2
grey glass	MGU68.008.7C3
ice aluminium	MGU68.008.7A1
apple aluminium	MGU68.008.7A2
corten steel oxyde*	MGU68.008.7A3
slate*	MGU68.008.7Z1
sahara leather*	MGU68.008.7P1
truffle leather*	MGU68.008.7P2

* Unica Class cover frames are made of true natural materials. For Slate, Oxide, and Leather finishes, the typical natural aesthetic variations of each material have been respected. They are present, making each cover frame unique and different from any other.

Unica Top



Unica Top aesthetics

With aluminium insert

Wood



Cherry tree .0M2

Wengue .0M3

Tobacco .0M4

Metal




Bright chrome .010

Glossy chrome .038

Matt nickel .039

Metal grey .097

Colour



Fluor green .094

Opal titanium .095

Onyx copper .096

Beryl blue .098

Top white .092

Rhodium black .093

Aluminium .30



With graphite insert

Wood



P86314

Cherry tree .2M2



P86317

Wengue .2M3



P86315

Tobacco .2M4

Metal



P86321

Bright chrome .210



P86318

Glossy chrome .238



P86320

Matt nickel .239



P86319

Metal grey .297

Colour



P86327

Fluor green .294



P86326

Opal titanium .295



P86325

Onyx copper .296



P86324

Beryl blue .298



P86323

Top white .292



P86322

Rhodium black .293



Graphite .12

Unica Top Cover frames



MGU66.002.0M2



MGU66.002.038



MGU66.004.0M2



MGU66.004.038



MGU66.004V.0M2



MGU66.004V.038

cherry tree
 wengue
 tobacco
 bright chrome
 glossy chrome
 matt nickel
 top white
 rhodium black
 fluor green
 opal titanium
 onyx copper
 metal grey
 beryl blue
 graphite
 aluminium
 graphite
 aluminium

1 gang




Colour	aluminium	graphite
cherry tree	MGU66.002.0M2	MGU66.002.2M2
wengue	MGU66.002.0M3	MGU66.002.2M3
tobacco	MGU66.002.0M4	MGU66.002.2M4
bright chrome	MGU66.002.010	MGU66.002.210
glossy chrome	MGU66.002.038	MGU66.002.238
matt nickel	MGU66.002.039	MGU66.002.239
top white	MGU66.002.092	MGU66.002.292
rhodium black	MGU66.002.093	MGU66.002.293
fluor green	MGU66.002.094	MGU66.002.294
opal titanium	MGU66.002.095	MGU66.002.295
onyx copper	MGU66.002.096	MGU66.002.296
metal grey	MGU66.002.097	MGU66.002.297
beryl blue	MGU66.002.098	MGU66.002.298
graphite		MGU6.002.12
aluminium	MGU6.002.30	

2 gang horizontal installation



Colour	aluminium	graphite
cherry tree	MGU66.004.0M2	MGU66.004.2M2
wengue	MGU66.004.0M3	MGU66.004.2M3
tobacco	MGU66.004.0M4	MGU66.004.2M4
bright chrome	MGU66.004.010	MGU66.004.210
glossy chrome	MGU66.004.038	MGU66.004.238
matt nickel	MGU66.004.039	MGU66.004.239
top white	MGU66.004.092	MGU66.004.292
rhodium black	MGU66.004.093	MGU66.004.293
fluor green	MGU66.004.094	MGU66.004.294
opal titanium	MGU66.004.095	MGU66.004.295
onyx copper	MGU66.004.096	MGU66.004.296
metal grey	MGU66.004.097	MGU66.004.297
beryl blue	MGU66.004.098	MGU66.004.298
graphite		MGU6.004.12
aluminium	MGU6.004.30	

2 gang vertical installation



Colour	aluminium	graphite
cherry tree	MGU66.004V.0M2	MGU66.004V.2M2
wengue	MGU66.004V.0M3	MGU66.004V.2M3
tobacco	MGU66.004V.0M4	MGU66.004V.2M4
bright chrome	MGU66.004V.010	MGU66.004V.210
glossy chrome	MGU66.004V.038	MGU66.004V.238
matt nickel	MGU66.004V.039	MGU66.004V.239
top white	MGU66.004V.092	MGU66.004V.292
rhodium black	MGU66.004V.093	MGU66.004V.293
fluor green	MGU66.004V.094	MGU66.004V.294
opal titanium	MGU66.004V.095	MGU66.004V.295
onyx copper	MGU66.004V.096	MGU66.004V.296
metal grey	MGU66.004V.097	MGU66.004V.297
beryl blue	MGU66.004V.098	MGU66.004V.298
graphite		MGU6.004V.12
aluminium	MGU6.004V.30	

Unica Top Cover frames



P108421
MGU66.006.0M2



P108443
MGU66.006.038



P108463
MGU66.006V.0M2



P108411
MGU66.006V.038




P108485
MGU66.008.0M2



P108475
MGU66.008.038

3 gang horizontal installation



Colour	aluminium	graphite
cherry tree	MGU66.006.0M2	MGU66.006.2M2
wengue	MGU66.006.0M3	MGU66.006.2M3
tobacco	MGU66.006.0M4	MGU66.006.2M4
bright chrome	MGU66.006.010	MGU66.006.210
glossy chrome	MGU66.006.038	MGU66.006.238
matt nickel	MGU66.006.039	MGU66.006.239
top white	MGU66.006.092	MGU66.006.292
rhodium black	MGU66.006.093	MGU66.006.293
fluor green	MGU66.006.094	MGU66.006.294
opal titanium	MGU66.006.095	MGU66.006.295
onyx copper	MGU66.006.096	MGU66.006.296
metal grey	MGU66.006.097	MGU66.006.297
beryl blue	MGU66.006.098	MGU66.006.298
graphite		MGU6.006.12
aluminium	MGU6.006.30	

3 gang vertical installation



Colour	aluminium	graphite
cherry tree	MGU66.006V.0M2	MGU66.006V.2M2
wengue	MGU66.006V.0M3	MGU66.006V.2M3
tobacco	MGU66.006V.0M4	MGU66.006V.2M4
bright chrome	MGU66.006V.010	MGU66.006V.210
glossy chrome	MGU66.006V.038	MGU66.006V.238
matt nickel	MGU66.006V.039	MGU66.006V.239
top white	MGU66.006V.092	MGU66.006V.292
rhodium black	MGU66.006V.093	MGU66.006V.293
fluor green	MGU66.006V.094	MGU66.006V.294
opal titanium	MGU66.006V.095	MGU66.006V.295
onyx copper	MGU66.006V.096	MGU66.006V.296
metal grey	MGU66.006V.097	MGU66.006V.297
beryl blue	MGU66.006V.098	MGU66.006V.298
graphite		MGU6.006V.12
aluminium	MGU6.006V.30	

4 gang horizontal installation



Colour	aluminium	graphite
cherry tree	MGU66.008.0M2	MGU66.008.2M2
wengue	MGU66.008.0M3	MGU66.008.2M3
tobacco	MGU66.008.0M4	MGU66.008.2M4
bright chrome	MGU66.008.010	MGU66.008.210
glossy chrome	MGU66.008.038	MGU66.008.238
matt nickel	MGU66.008.039	MGU66.008.239
top white	MGU66.008.092	MGU66.008.292
rhodium black	MGU66.008.093	MGU66.008.293
fluor green	MGU66.008.094	MGU66.008.294
opal titanium	MGU66.008.095	MGU66.008.295
onyx copper	MGU66.008.096	MGU66.008.296
metal grey	MGU66.008.097	MGU66.008.297
beryl blue	MGU66.008.098	MGU66.008.298
graphite		MGU6.008.12
aluminium	MGU6.008.30	

Unica Plus
Unica Quadro
Unica Colors
Unica Basic



Unica Plus

P844832



Unica Quadro

P104530



Unica Colors

P81459



Unica Basic

P86055



Sheer design joy

The essentials in our life are the small things; the little extras in the everyday that make a difference. The Unica range offers just that – the essential little extra – a choice clearly above the design of the mainstream selection. Including endless stylish, fresh and innovative solutions. From the more refined, exclusive Unica Plus with temptingly comfortable functionality choices, to the sober and timeless style manifested in Unica Basic. Release your inner aesthetic desire. Rejoice at the available choices; from the sparkingly colourful with accented shapes, young, fresh and modern, to the sober, timeless and luxuriously stylish. Let your home reflect your personality. Personal style prevails!



P105753

Weekly programmable thermostat
To have the home at the right temperature every time optimizing the energy.



P105754

Rotary dimmer
Create lighting ambiances, save energy and money.



P105770

Emergency light
Ever been in a bathroom without windows during a power failure? Don't be!



P105756

Movement and presence detector
Automatically activates light (or others functions) when you enter.



P105760

Roller-blind (and/or curtain) switch
Lights out or not? Easy peace!



P105758


Time delay switch
For areas where you pass through. Truly energy-saving – will make sure the light is only on for a short time, no need to think about switching off. Can easily be combined with a movement detector.



P30185



P104129




MGU50.201.18Z

MGU50.0101.18Z




MGU50.203.18ZS

MGU57.203.18ZS



MGU50.211.18Z

MGU50.213.18Z



MGU50.261.18Z

MGU50.262.18Z

Controls

10 AX – 250 V AC switches

10 AX one-way screwless terminals		10 AX two-way screwless terminals	
Colour	2 modules	2 x 1 module	2 modules
<input type="checkbox"/> white	MGU50.201.18Z	MGU50.0101.18Z	MGU50.203.18Z
<input type="checkbox"/> ivory	MGU50.201.25Z	MGU50.0101.25Z	MGU50.203.25Z

10 AX one-way screwless terminals		10 AX two-way screwless terminals	
Colour	2 modules	2 modules	
<input type="checkbox"/> white	MGU50.203.18ZS	MGU57.203.18ZS	
Stainless claws		<ul style="list-style-type: none"> ● 57 mm interaxis ● Stainless claws 	




10 AX intermediate screwless terminals	
Colour	2 modules
<input type="checkbox"/> white	MGU50.205.18Z
<input type="checkbox"/> ivory	MGU50.205.25Z

10 AX double one-way screwless terminals		10 AX double two-way screwless terminals	
Colour	2 modules	2 modules	
<input type="checkbox"/> white	MGU50.211.18Z	MGU50.213.18Z	
<input type="checkbox"/> ivory	MGU50.211.25Z	MGU50.213.25Z	
	With internal power connection	With external power connection	

16 AX – 250 V AC switches

16 AX one-way screw terminals		16 AX double pole one-way screw terminals	
Colour	2 modules	2 modules	
<input type="checkbox"/> white	MGU50.261.18Z	MGU50.262.18Z	
<input type="checkbox"/> ivory	MGU50.261.25Z	MGU50.262.25Z	

16 AX two-way screw terminals	
Colour	2 modules
<input type="checkbox"/> white	MGU50.263.18Z



10 AX – 250 V AC switches with blue locator lamp

10 AX one-way screwless terminals



Colour	2 modules	2 x 1 module
white	MGU50.201.18NZ	MGU50.0101.18NZ
ivory	MGU50.201.25NZ	MGU50.0101.18NZ

Blue LED lamp, connected internally


10 AX two-way screwless terminals



Colour	2 modules
white	MGU50.203.18NZ
ivory	MGU50.203.25NZ

Blue LED lamp, connected internally


10 AX intermediate screwless terminals



Colour	2 modules
white	MGU50.205.18NZ
ivory	MGU50.205.25NZ

10 AX – 250 V AC switches with amber indicator lamp

10 AX two-way screwless terminals




Colour	2 modules
white	MGU50.203.18SZ

Amber LED lamp, connected internally

16 AX – 250 V AC switches with blue locator lamp


16 AX one-way screw terminals



Colour	2 modules
white	MGU50.261.18NZ

Blue LED lamp, connected internally


16 AX two-way screw terminals



Colour	2 modules
white	MGU50.263.18NZ

16 AX – 250 V AC switches with amber indicator lamp


16 AX one-way screw terminals



Colour	2 modules
white	MGU50.261.18SZ

Amber LED lamp, connected internally


16 AX double pole one-way screw terminals



Colour	2 modules
white	MGU50.262.18SZ

Amber LED lamp, connected internally

16 AX two-way screw terminals



Colour	2 modules
white	MGU50.263.18SZ

Amber LED lamp, connected internally



10 A – 250 V AC push-buttons

10 A screwless terminals



Colour	2 modules
□ white	MGU50.206.18Z
■ ivory	MGU50.206.25Z

10 A screwless terminals with bell symbol



Colour	2 modules
□ white	MGU50.206.18CZ
■ ivory	MGU50.206.25CZ

10 A screwless terminals with light symbol




Colour	2 modules
□ white	MGU50.206.18LZ
■ ivory	MGU50.206.25LZ



10 A – 250 V AC push-buttons with blue locator lamp

10 A screwless terminals




Colour	2 modules
□ white	MGU50.206.18NZ
■ ivory	MGU50.206.25NZ

Blue LED lamp, connected internally



10 A screwless terminals with bell symbol



Colour	2 modules
□ white	MGU50.206.18CNZ
■ ivory	MGU50.206.25CNZ

Blue LED lamp, connected internally

10 A screwless terminals with light symbol



Colour	2 modules
□ white	MGU50.206.18LNZ

Replacement lamps


LED for 250 V AC switches and push-buttons with locator/indicator lamp



Colour		
■ amber	MGU0.825.AL	MGU0.822.AL
■ blue	MGU0.825.AZL	MGU0.822.AZL

For switches and push-buttons with screwless terminals from November 2011 (except intermediate switches).

- Before November 2011, for all switches and push-buttons,
- From November 2011, for switches and push-buttons with screw terminals and intermediate switches.



LED for 12 V AC push-buttons

Colour	
■ yellow	MGU0.823.AM

Specialized controls


Mechanisms for roller blinds



	10 A switch screwless	10 A push-button screwless
Colour	2 modules	2 modules
white	MGU50.208.18Z	MGU50.207.18Z
ivory	MGU50.208.25Z	MGU50.207.25Z
With mechanical and electrical safety latching to prevent simultaneous activation in both directions		

Comfort controls

Rotary electronic dimmer switches



MGU50.511.18Z



MGU50.510.18Z




MGU5.512.18ZD








MGU50.515.18Z










40-400 W/VA one/two way switch	400 VA – 1-10 V for fluorescent tubes
	
Colour <input type="checkbox"/> 2 modules	<input type="checkbox"/> 2 modules
<input type="checkbox"/> white MGU50.511.18Z	<input type="checkbox"/> white MGU50.510.18Z
<input type="checkbox"/> ivory MGU50.511.25Z	<input type="checkbox"/> ivory MGU50.510.25Z
<ul style="list-style-type: none"> ● one pulse to switch on (or off) and rotation to regulate load ● 2-wire connection 	<ul style="list-style-type: none"> ● max. control current: 200 mA ● compliant with the interference suppression (EMC) standard EN 60669-2-1 ● 4-wire connection

40-1000 W/VA

Colour <input type="checkbox"/> 2 modules
<input type="checkbox"/> white MGU5.512.18ZD
<input type="checkbox"/> ivory MGU5.512.25ZD
<ul style="list-style-type: none"> ● compliant with the interference suppression (EMC) standard EN 60669-2-1 ● 3-wire connection

Push-button dimmer switch

Multi-load Variapush (pulse control) 20-350 W/VA

Colour <input type="checkbox"/> 2 modules
<input type="checkbox"/> white MGU50.515.18Z
<input type="checkbox"/> ivory MGU50.515.25Z
Compliant with the interference suppression (EMC) standard EN 60669-2-1

			
MGU50.510.xx	MGU50.511.xx	MGU5.512.xx	MGU50.515.xx
	400 W	1000 W	250 W
	400 W	1000 W	350 W
	400 VA	1000 VA	350 VA
			300 VA
			350 VA
400 VA 1-10 V			
			200 W
			350 W
		600 W	

Load table	
Maximum loads	
	230 V AC incandescent lamps
	230 V AC halogen lamps
	ELV halogen lamps with ferromagnetic transformer (non toroidal)
	ELV lamps with toroidal transformer
	ELV halogen lamps with electronic transformer
	<ul style="list-style-type: none"> ● 230V AC fluorescent tube, Φ 26 or Φ 38 mm with 1-10 V electronic ballast ● 230V AC fluorescent tube, 36 W with 10 electronic ballasts (1-10 V) ● 230V AC fluorescent tube, 2 x 16 W, Φ 26 or Φ 30 mm with 5 electronic ballasts (1-10 V) ● maximum control of 50 electronic ballasts (1-10 V) with an external relay
	230V AC fans
	230V AC convectors
	230V AC motors
Installation	
Installed in place of a switch	
May be controlled by push-buttons: up to 25 push-buttons in the surrounding area	



Movement and presence detectors

	300 W detector	2300 W detector
Colour	■ 2 modules	■ 2 modules
□ white	MGU50.524.18Z	MGU50.525.18Z
■ ivory	MGU50.524.25Z	MGU50.525.25Z

- adjustable disconnection time and brightness
- optional switching of the load connected to the control switch using conventional auxiliary push-buttons

		Load table	
MGU50.524.xx	MGU50.525.xx		
		Maximum loads	
300 W	2300 W		230 V AC incandescent lamps
300 W	2000 W		230 V AC halogen lamps
	1050 VA		ELV halogen lamps with wire-wound transformer (non toroidal)
	1150 VA		ELV halogen lamps with electronic transformer
	2000 VA cos φ ≥ 0,9		230 V AC fluorescent tubes, Φ 26 or Φ 38 mm
	500 VA		230 V AC compact Fluorescent Lamps
	200 VA		230 V AC fans
300 W cos φ ≥ 0,95	2300 W		230 V AC convectors
	200 VA		230 V AC contactors
		Installation	
		Parallel connection: max. 2 detectors for a load	
		Possibility of using up to 5 push-buttons in the surrounding area	



MGU50.501.18Z



MGU50.505.18Z



MGU50.535.18Z



MGU50.541.18



MGU50.545.18Z

Thermostats

8 A basic thermostat



Colour 2 modules

white **MGU50.501.18Z**

ivory **MGU50.501.25Z**

8 A resistive/5 A inductive weekly programmable thermostat



Colour 2 modules

white **MGU50.505.18Z**

ivory **MGU50.505.25Z**

Used to control heating and air conditioning according to pre-programmed times and temperatures

Time delay switch

8 A press activated time delay switch



Colour 2 modules

white **MGU50.535.18Z**

ivory **MGU50.535.25Z**

- for all load types
- adjustable disconnection time (2 s - 12 min.)
- optional switching on using conventional push-button
- included night blue locator lamp

Weekly programmable timer

Weekly programmable timer



Colour 2 modules

white **MGU50.541.18**

ivory **MGU50.541.25**

- 230 V 1200 W (incandescent and halogen)
- 1000 VA (halogen 12 V with electromagnetic transformer)
- 28 intervals

Wake up clock

Wake up clock



Colour 2 modules

white **MGU50.545.18Z**

ivory **MGU50.545.25Z**

- double alarm
- "SNOOZE" function
- indication of ambient temperature



MGU50.283.18Z



MGU0.824

Key card switches

10 A



Colour 2 modules

white **MGU50.283.18Z**

ivory **MGU50.283.25Z**


With locator lamp

Supplementary lamp for key card switch



MGU0.824

For MGU3.283




MGU50.036.18Z

MGU50.037.18TAZ




MGU61.037.18



MGU50.039.25Z

MGU50.039.18Z



MGU50.033.18Z

MGU50.3131.18Z

Socket-outlets

German socket-outlets

	16 A – 2P + E, screw terminals	16 A – 2P + E, shuttered, screw terminals, hinged flap
Colour	2 modules	2 modules
white	MGU50.036.18Z	MGU50.037.18TAZ
ivory	MGU50.036.25Z	MGU50.037.25TAZ
	Side earth	
	16 A – 2P + E, shuttered, screw terminals	16 A – 2P + E, shuttered, screw terminals – IP44 cover and fixing frame without claws
Colour	2 modules	
white	MGU50.037.18Z	MGU61.037.18
ivory	MGU50.037.25Z	MGU61.037.25
red	MGU50.037.03Z	
	Side earth	

French socket-outlets

	16 A – 2P + E, shuttered, screw terminals
Colour	2 modules
white	MGU50.039.18Z
ivory	MGU50.039.25Z
red	MGU50.039.03Z

European socket-outlets

	16 A – 2P, shuttered, screw terminals
Colour	2 modules 2 x 1 module
white	MGU50.033.18Z MGU50.3131.18Z
ivory	MGU50.033.25Z
	Only for replacements



Socket-outlet centerplate with lamp

For french socket-outlet




Colour	2 modules
<input type="checkbox"/> white	MGU0.839.18



Double socket-outlets Unica Basic

Only
Unica Basic

Unearthed, shuttered, screw terminals



Unearthed, shuttered, screw terminals



Colour	2 modules
<input type="checkbox"/> white	MGU23.063.18
<input type="checkbox"/> ivory	MGU23.063.25

Colour	2 modules
<input type="checkbox"/> white	MGU23.063.18D (1)
<input type="checkbox"/> ivory	MGU23.063.25D (1)

DSO in pin pack

MGU23.063.18



Only
Unica Basic

2P + E, CZ/SK (2), shuttered, screw terminals



2P + E, CZ/SK (2), shuttered, screw terminals



Colour	2 modules
<input type="checkbox"/> white	MGU23.065.18
<input type="checkbox"/> ivory	MGU23.065.25

Colour	2 modules
<input type="checkbox"/> white	MGU23.065.18D (1)
<input type="checkbox"/> ivory	MGU23.065.25D (1)

DSO in pin pack

MGU23.065.18




Only
Unica Basic

Side earth, shuttered, screw terminals



Side earth, shuttered, screw terminals



Colour	2 modules
<input type="checkbox"/> white	MGU23.067.18
<input type="checkbox"/> ivory	MGU23.067.25

Colour	2 modules
<input type="checkbox"/> white	MGU23.067.18D (1)
<input type="checkbox"/> ivory	MGU23.067.25D (1)

DSO in pin pack

MGU23.067.18

- (1) ●●D: Individual packaging ; plastic bag and cardboard with eurohole
 (2) CZ/SK: Czech republic and Slovakia standard
 (3) PO/FR: Poland and France standard




MGU63.063.18



MGU63.065.18

Double socket-outlets Unica Plus


Unearthed, shuttered, screw terminals



Only
Unica Plus

Colour	white	ivory
white	MGU63.063.18	
ivory	MGU63.063.25	
Colour	white	ivory
champagne	MGU63.063.824	MGU63.063.524
indigo blue	MGU63.063.842	
terracota	MGU63.063.851	
glacial blue	MGU63.063.854	
apple green	MGU63.063.863	MGU63.063.563
mist grey	MGU63.063.865	
pistachio	MGU63.063.866	
sand	MGU63.063.867	MGU63.063.567
orange	MGU63.063.869	
water green	MGU63.063.870	
cacao	MGU63.063.871	
garnet	MGU63.063.872	
mink	MGU63.063.874	
mauve	MGU63.063.876	

2P + E, CZ/SK (2), shuttered, screw terminals



Only
Unica Plus

Colour	white	ivory	white	ivory
white	MGU63.065.18		MGU63.065.18D (1)	
ivory	MGU63.065.25		MGU63.065.25D (1)	
Colour	white	ivory	white	ivory
champagne	MGU63.065.824	MGU63.065.524	MGU63.065.824D (1)	MGU63.065.524D (1)
indigo blue			MGU63.065.842D (1)	MGU63.065.542D (1)
terracota	MGU63.065.851	MGU63.065.551	MGU63.065.851D (1)	MGU63.065.551D (1)
glacial blue	MGU63.065.854	MGU63.065.554	MGU63.065.854D (1)	MGU63.065.554D (1)
apple green	MGU63.065.863		MGU63.065.863D (1)	MGU63.065.563D (1)
mist grey	MGU63.065.865	MGU63.065.565	MGU63.065.865D (1)	MGU63.065.565D (1)
pistachio	MGU63.065.866		MGU63.065.866D (1)	MGU63.065.566D (1)
sand	MGU63.065.867	MGU63.065.567	MGU63.065.867D (1)	MGU63.065.567D (1)
orange	MGU63.065.869	MGU63.065.569	MGU63.065.869D (1)	MGU63.065.569D (1)
water green	MGU63.065.870		MGU63.065.870D (1)	
cacao	MGU63.065.871	MGU63.065.571	MGU63.065.871D (1)	MGU63.065.571D (1)
garnet	MGU63.065.872	MGU63.065.572	MGU63.065.872D (1)	MGU63.065.572D (1)
maganese blue			MGU63.065.873D (1)	
mink	MGU63.065.874	MGU63.065.574	MGU63.065.874D (1)	MGU63.065.574D (1)
mauve	MGU63.065.876		MGU63.065.876D (1)	MGU63.065.576D (1)
slate grey	MGU63.065.877	MGU63.065.577	MGU63.065.877D (1)	MGU63.065.577D (1)

DSO in pin pack

- (1) ●●D: Individual packaging ; plastic bag and cardboard with eurohole
 (2) CZ/SK: Czech republic and Slovakia standard



MGU63.067.18



MGU63.069.18

Double socket-outlets Unica Plus

	Side earth, shuttered, screw terminals		Side earth, shuttered, screw terminals	
Only Unica Plus				
Colour				
□ white	MGU63.067.18		MGU63.067.18D (1)	
□ ivory	MGU63.067.25		MGU63.067.25D (1)	
Colour	white	ivory	white	ivory
■ champagne	MGU63.067.824	MGU63.067.524	MGU63.067.824D (1)	MGU63.067.524D (1)
■ indigo blue	MGU63.067.842			
■ terracota	MGU63.067.851	MGU63.067.551		
■ glacial blue	MGU63.067.854	MGU63.067.554		
■ apple green	MGU63.067.863			
■ mist grey			MGU63.067.865D	
■ pistachio	MGU63.067.866			
■ sand	MGU63.067.867	MGU63.067.567	MGU63.067.867D (1)	
■ orange	MGU63.067.869			
■ water green	MGU63.067.870		MGU63.067.870D (1)	
■ cacao	MGU63.067.871	MGU63.067.571		MGU63.067.571D
■ garnet	MGU63.067.872	MGU63.067.572	MGU63.067.872D (1)	
■ mauve		MGU63.067.576		
■ slate grey	MGU63.067.877			
			DSO in pin pack	
	2P + E, PO/FR (3), shuttered, screw terminals			
Only Unica Plus				
Colour				
□ white	MGU63.069.18			
□ ivory	MGU63.069.25			
Colour	white	ivory		
■ champagne	MGU63.069.824	MGU63.069.524		
■ indigo blue	MGU63.069.842			
■ terracota	MGU63.069.851	MGU63.069.551		
■ apple green	MGU63.069.863			
■ mist grey	MGU63.069.865			
■ pistachio	MGU63.069.866			
■ sand	MGU63.069.867	MGU63.069.567		
■ orange	MGU63.069.869			
■ water green	MGU63.069.870			
■ cacao	MGU63.069.871			
■ garnet	MGU63.069.872			
■ maganese blue	MGU63.069.873			
■ mink	MGU63.069.874	MGU63.069.574		
■ mauve	MGU63.069.876			
■ slate grey	MGU63.069.877			

(1) ●●D: Individual packaging ; plastic bag and cardboard with eurohole
 (3) PO/FR: Poland and France standard

Data sockets

RJ45/RJ11 data sockets

Category 5e, unshielded and RJ11 – 4 contacts



Colour	2 x 1 module	
white	MGU50.979.18Z ⁽¹⁾	MGU50.2090.18Z ⁽¹⁾
ivory	MGU50.979.25Z ⁽¹⁾	MGU50.2090.25Z ⁽¹⁾



MGU50.979.18Z

RJ45 data sockets

Category 5e, unshielded




Colour	2 modules	
white	MGU50.411.18Z ⁽¹⁾	
ivory	MGU50.411.25Z ⁽¹⁾	



MGU50.411.18Z


Category 5e, shielded



Colour	2 modules		2 x 1 module	
white	MGU50.421.18Z ⁽¹⁾	MGU50.2020.18Z ⁽¹⁾	MGU50.423.18Z ⁽²⁾	MGU50.2222.18Z ⁽²⁾
ivory	MGU50.421.25Z ⁽¹⁾	MGU50.2020.25Z ⁽¹⁾	MGU50.423.25Z ⁽²⁾	
Colour	2 modules		2 x 1 module	
white	MGU50.425.18Z ⁽³⁾	MGU50.2424.18Z ⁽³⁾	MGU50.427.18Z ⁽⁴⁾	MGU50.2626.18Z ⁽⁴⁾
ivory	MGU50.425.25Z ⁽³⁾	MGU50.2424.25Z ⁽³⁾		



MGU50.421.18Z



MGU50.2020.18Z


RJ45 data connector covers

Universal



Colour	2 modules		2 x 1 module	
white	MGU50.460.18Z	MGU50.6161.18Z		

See technical information pages for compatibility table



MGU50.6161.18Z

Actassi S-one RJ45 connectors reference numbers included into Unica data sockets:

⁽¹⁾ VDIB17725U, ⁽²⁾ VDIB17725B, ⁽³⁾ VDIB17726U, ⁽⁴⁾ VDIB17726B.



VDIB17725U




VDIB17725B



VDIB17726U




VDIB17726B



MGU50.451.18Z

MGU50.452.18Z



MGU50.454.18Z



MGU50.455.18Z



U50.6568.18Z

TV/FM/SAT sockets



TV/FM sockets

	TV/FM socket for parallel distribution systems	TV/FM sockets for series distribution systems
		
Colour	2 modules	2 modules
<input type="checkbox"/> white	MGU50.451.18Z	MGU50.452.18Z
<input type="checkbox"/> ivory	MGU50.451.25Z	MGU50.452.25Z
	<ul style="list-style-type: none"> ● 47-860 MHz ● individual socket 	<ul style="list-style-type: none"> ● 47-860 MHz ● end-of-line (terminal socket)


TV/FM sockets for series distribution systems

	
Colour	2 modules
<input type="checkbox"/> white	MGU50.453.18Z
<input type="checkbox"/> ivory	MGU50.453.25Z
	<ul style="list-style-type: none"> ● 47-860 MHz ● intermediate socket (passage socket)


R-TV/SAT sockets


	R-TV/SAT socket for parallel distribution systems	R-TV/SAT socket for series distribution systems
		
Colour	2 modules	2 modules
<input type="checkbox"/> white	MGU50.454.18Z	MGU50.455.18Z
<input type="checkbox"/> ivory	MGU50.454.25Z	MGU50.455.25Z
	<ul style="list-style-type: none"> ● 10-2400 MHz ● individual socket 	<ul style="list-style-type: none"> ● 10-2400 MHz ● end-of-line (terminal)

R-TV/SAT socket for series distribution systems







	
Colour	2 modules
<input type="checkbox"/> white	MGU50.456.18Z
<input type="checkbox"/> ivory	MGU50.456.25Z
	<ul style="list-style-type: none"> ● 10-2400 MHz ● intermediate socket (passage)

TV/SAT female socket - F type

	
Colour	2 x 1 module
<input type="checkbox"/> white	U50.6568.18Z
<input type="checkbox"/> ivory	U50.6568.25Z



TV single shielded sockets






Male individual		Male terminal
		
Colour	2 modules	2 modules
<input type="checkbox"/> white	MGU50.462.18Z	MGU50.464.18Z
<input type="checkbox"/> ivory	MGU50.462.25Z	
Male passage		
		
Colour	2 modules	
<input type="checkbox"/> white	MGU50.463.18Z	
Female individual		Female terminal
		
Colour	2 modules	2 modules
<input type="checkbox"/> white	MGU50.465.18Z	MGU50.467.18Z
<input type="checkbox"/> ivory	MGU50.465.25Z	MGU50.467.25Z
Female passage		
		
Colour	2 modules	
<input type="checkbox"/> white	MGU50.466.18Z	



Telephone sockets

RJ11 and RJ12

Screw connection. As per RD 1/1998 and RD 279/1999 (ICT): socket for the Terminal Access Database (TAD) for the telephony service.

RJ11 – 4 contacts		
		
Colour	2 modules	2 x 1 module
<input type="checkbox"/> white	MGU50.492.18Z	MGU50.9090.18Z
<input type="checkbox"/> ivory	MGU50.492.25Z	MGU50.9090.25Z
RJ12 – 6 contacts		
		
Colour	2 modules	2 x 1 module
<input type="checkbox"/> white	MGU50.497.18Z	MGU50.9191.18Z
<input type="checkbox"/> ivory	MGU50.497.25Z	MGU50.9191.25Z
RJ12 – 6 contacts screwless		
		
Colour	2 modules	
<input type="checkbox"/> white	MGU50.493.18Z	
<input type="checkbox"/> ivory	MGU50.493.25Z	



MGU50.785.18Z



MGU50.786.18Z



MGU50.776.TZ



MGU50.862.18Z



MGU50.866.18Z



MGU50.486.18Z

Indication

Buzzer and electronic doorbell

230 V 50-60Hz buzzer



Colour 2 modules

white MGU50.785.18Z

ivory

With adjustable volume

230 V electronic doorbell



2 modules

MGU50.786.18Z

MGU50.786.25Z

5 tunes

Emergency light

Emergency light



2 modules

MGU50.776.TZ

Complementary offers

Cable outlet

16 A



Colour 2 modules

white MGU50.862.18Z

ivory MGU50.862.25PD

- 3 x 2.5 mm² connection terminals
- anti-tug clamps

Blind cover plates

Blind cover plate



Colour 2 modules

white MGU50.866.18Z

ivory MGU50.866.25Z

Loudspeaker accessories

Loudspeaker socket



Colour 2 modules 2 x 1 module

white MGU50.486.18Z MGU50.8787.18Z

ivory MGU50.486.25Z MGU50.8787.25Z


Pressure-fixing of terminals

The following Unica control devices have to be connected to KNX bus line.

The KNX bus line is laid in parallel to the 230 V power supply.


When Unica sensor is activated (for example, a push-button), an actuator (e.g. the roller shutter control) will carry out all the switching commands required.

Introduction




Controls

Push-buttons




MGU50.530.18

MGU50.530.25



MGU50.531.18

MGU50.531.25



MGU50.532.18

MGU50.532.25



MTN570222

2 buttons and 2 blue status LEDs, with screwless bus connecting terminals



P117535

Colour
 ■ aluminium
 ■ graphite

2 modules
MGU50.530.18
MGU50.530.25

- The status LED is located under the symbol window which can be taken off.
 - With integrated bus coupler. The bus is connected using a bus connecting terminal.
- Contents:**
- With set of 10 symbols:
 - 2x symbol with light opening,
 - 1x symbol "1",
 - 1x symbol "0",
 - 2x symbol for dimming,
 - 2x symbol for shutter,
 - 2x symbol (neutral).
 - With bus connecting terminal.

4 buttons and 4 blue status LEDs, with screwless bus connecting terminals



P117536

2 modules
MGU50.531.18
MGU50.531.25

- The status LED is located under the symbol window which can be taken off.
 - With integrated bus coupler. The bus is connected using a bus connecting terminal.
- Contents:**
- With set of 20 symbols:
 - 4x symbol with light opening,
 - 2x symbol "1",
 - 2x symbol "0",
 - 4x symbol for dimming,
 - 4x symbol for shutter,
 - 4x symbol (neutral).
 - With bus connecting terminal.

KNX software functions: Switching, toggling, dimming (single/dual-surface), blind (single/dual-surface), pulse edges trigger 1-, 2-, 4- or 8-bit telegrams (distinction between short and long operation), pulse edges with 2-byte telegrams (distinction between short and long operation), 8-bit linear regulator, scene retrieval, scene saving, disable functions.

2 buttons, blue status LED and Infra Red (IR) receiver, with screwless bus connecting terminals



P117539

Colour
 ■ aluminium
 ■ graphite

2 modules
MGU50.532.18
MGU50.532.25

- The status LED is located under the symbol window which can be taken off. The functions of each of the button can be triggered using an IR remote control. The push-button is pre-programmed for operation with a Schneider-Electric IR remote control Distance. Many other IR remote controls (e.g. existing TV or CD player remote controls) can be taught into the push-buttons.
- With integrated bus coupler. The bus is connected using a bus connecting terminal.
- Transmitter: IR remote control Distance, ref. MTN570222.
- Contents: With bus connecting terminal.



KNX software functions: Switching, toggling, dimming (single/dual-surface), blind (single/dual-surface), pulse edges trigger 1-, 2-, 4- or 8-bit telegrams (distinction between short and long operation), pulse edges with 2-byte telegrams (distinction between short and long operation), 8-bit linear regulator, scene retrieval, scene saving, disable functions.

Infra Red (IR) remote control for IR push-button receiver



Colour
 ■ black
MTN570222

- 10-channel IR remote control
- Battery: 2 microcells (IEC LR 03, AAA)
- Range: up to 20 m
- Contents: without battery.



Comfort controls

Movement detector



Colour	2 modules
■ aluminium	MGU50.533.18
■ graphite	MGU50.533.25

When a movement is detected, a data telegram defined by the programming is transmitted.

- Two movement sensors: the sensitivity and range can be set separately for each sensor
- Detection angle: 180°
- Installation height : 1 m to 2.5 m
- Detection area at 2.15 m mounting height : Approx. 9 m on all sides, adjustable in 10 steps (rotary switch or ETS)
- Detection brightness: Infinite setting from approx. 10 lux to approx. 1000 lux (rotary switch) or from 10 lux to 2000 lux (ETS)
- Overshoot time: Adjustable in 6 steps from approx. 1 s to approx. 8 min (rotary switch) or adjustable from 1 s to 255 hours (ETS)
- EC guidelines: Low-voltage guideline 2006/95/EEC and EMC guideline 2004/108/EC
- With bus connecting terminal. The bus is connected using a bus connecting terminal.

KNX software functions: 5 movement blocks: up to 4 functions can be triggered per block.
Telegrams: 1 bit, 1 byte, 2 bytes.

Room temperature control unit



Colour	2 modules
■ aluminium	MGU50.534.18
■ graphite	MGU50.534.25

- With display and 4 buttons
- 2-step control, continuous PI controller, switching PI controller (PWM)
- Output: continuous in the range 0 to 100% or switching ON/OFF
- Controller mode:
 - Heating with one controller output
 - Cooling with one controller output
 - Heating and cooling with separate controller outputs
 - Heating and cooling with one controller output
 - 2-step heating with 2 control outputs
 - 2-step cooling with 2 control outputs
 - 2-step heating and cooling with 4 control outputs
- Operating modes: Comfort, comfort extension, standby, night reduction, frost/heat protection

Move all setpoints, save all setpoint temperatures and operating modes when reset, external temperature monitoring, additional output of the control value as 1 byte value on the PWM.
With bus connecting terminal. The bus is connected using a bus connecting terminal.

For more information on functions and products in association with KNX, go to Schneider Electric KNX catalogue.

Unica Plus



Unica Plus aesthetics



P104900



P84936

Bright chrome .x10



P84944

Champagne .x24



P84941

Cacao .x71



P84946

Gold .x04



P84929

Pistachio .x66



P84938

Apple green .x63



P84931

Garnet .x72




P84933

Slate grey .x77

Unica Plus Cover frames



MGU6.002.18



MGU6.004.18

white
 ivory

- champagne
- indigo blue
- terracotta
- glacier blue
- apple green
- mist grey
- pistachio
- sand
- orange
- water green
- cacao
- garnet
- manganese blue
- mink
- mauve
- slate grey
- bright chrome
- gold

1 gang



Colour	<input type="checkbox"/> white	<input type="checkbox"/> ivory
<input type="checkbox"/> white	MGU6.002.18	
<input type="checkbox"/> ivory		MGU6.002.25
<input type="checkbox"/> champagne	MGU6.002.824	MGU6.002.524
<input type="checkbox"/> indigo blue	MGU6.002.842	MGU6.002.542
<input type="checkbox"/> terracotta	MGU6.002.851	MGU6.002.551
<input type="checkbox"/> glacier blue	MGU6.002.854	MGU6.002.554
<input type="checkbox"/> apple green	MGU6.002.863	MGU6.002.563
<input type="checkbox"/> mist grey	MGU6.002.865	MGU6.002.565
<input type="checkbox"/> pistachio	MGU6.002.866	MGU6.002.566
<input type="checkbox"/> sand	MGU6.002.867	MGU6.002.567
<input type="checkbox"/> orange	MGU6.002.869	MGU6.002.569
<input type="checkbox"/> water green	MGU6.002.870	MGU6.002.570
<input type="checkbox"/> cacao	MGU6.002.871	MGU6.002.571
<input type="checkbox"/> garnet	MGU6.002.872	MGU6.002.572
<input type="checkbox"/> manganese blue	MGU6.002.873	MGU6.002.573
<input type="checkbox"/> mink	MGU6.002.874	MGU6.002.574
<input type="checkbox"/> mauve	MGU6.002.876	MGU6.002.576
<input type="checkbox"/> slate grey	MGU6.002.877	MGU6.002.577
<input type="checkbox"/> bright chrome	MGU66.002.810	MGU66.002.510
<input type="checkbox"/> gold	MGU66.002.804	MGU66.002.504


2 gang horizontal installation



Colour	<input type="checkbox"/> white	<input type="checkbox"/> ivory
<input type="checkbox"/> white	MGU6.004.18	
<input type="checkbox"/> ivory		MGU6.004.25
<input type="checkbox"/> champagne	MGU6.004.824	MGU6.004.524
<input type="checkbox"/> indigo blue	MGU6.004.842	MGU6.004.542
<input type="checkbox"/> terracotta	MGU6.004.851	MGU6.004.551
<input type="checkbox"/> glacier blue	MGU6.004.854	MGU6.004.554
<input type="checkbox"/> apple green	MGU6.004.863	MGU6.004.563
<input type="checkbox"/> mist grey	MGU6.004.865	MGU6.004.565
<input type="checkbox"/> pistachio	MGU6.004.866	MGU6.004.566
<input type="checkbox"/> sand	MGU6.004.867	MGU6.004.567
<input type="checkbox"/> orange	MGU6.004.869	MGU6.004.569
<input type="checkbox"/> water green	MGU6.004.870	MGU6.004.570
<input type="checkbox"/> cacao	MGU6.004.871	MGU6.004.571
<input type="checkbox"/> garnet	MGU6.004.872	MGU6.004.572
<input type="checkbox"/> manganese blue	MGU6.004.873	MGU6.004.573
<input type="checkbox"/> mink	MGU6.004.874	MGU6.004.574
<input type="checkbox"/> mauve	MGU6.004.876	MGU6.004.576
<input type="checkbox"/> slate grey	MGU6.004.877	MGU6.004.577
<input type="checkbox"/> bright chrome	MGU66.004.810	MGU66.004.510
<input type="checkbox"/> gold	MGU66.004.804	MGU66.004.504




MGU6.004V.18




MGU6.006.18

2 gang vertical installation



Colour	white	ivory
white	MGU6.004V.18	
ivory		MGU6.004V.25
champagne	MGU6.004V.824	MGU6.004V.524
indigo blue	MGU6.004V.842	MGU6.004V.542
terracotta	MGU6.004V.851	MGU6.004V.551
glacier blue	MGU6.004V.854	MGU6.004V.554
apple green	MGU6.004V.863	MGU6.004V.563
mist grey	MGU6.004V.865	MGU6.004V.565
pistachio	MGU6.004V.866	MGU6.004V.566
sand	MGU6.004V.867	MGU6.004V.567
orange	MGU6.004V.869	MGU6.004V.569
water green	MGU6.004V.870	MGU6.004V.570
cacao	MGU6.004V.871	MGU6.004V.571
garnet	MGU6.004V.872	MGU6.004V.572
manganese blue	MGU6.004V.873	MGU6.004V.573
mink	MGU6.004V.874	MGU6.004V.574
mauve	MGU6.004V.876	MGU6.004V.576
slate grey	MGU6.004V.877	MGU6.004V.577
bright chrome	MGU66.004V.810	MGU66.004V.510
gold	MGU66.004V.804	MGU66.004V.504

3 gang horizontal installation



Colour	white	ivory
white	MGU6.006.18	
ivory		MGU6.006.25
champagne	MGU6.006.824	MGU6.006.524
indigo blue	MGU6.006.842	MGU6.006.542
terracotta	MGU6.006.851	MGU6.006.551
glacier blue	MGU6.006.854	MGU6.006.554
apple green	MGU6.006.863	MGU6.006.563
mist grey	MGU6.006.865	MGU6.006.565
pistachio	MGU6.006.866	MGU6.006.566
sand	MGU6.006.867	MGU6.006.567
orange	MGU6.006.869	MGU6.006.569
water green	MGU6.006.870	MGU6.006.570
cacao	MGU6.006.871	MGU6.006.571
garnet	MGU6.006.872	MGU6.006.572
manganese blue	MGU6.006.873	MGU6.006.573
mink	MGU6.006.874	MGU6.006.574
mauve	MGU6.006.876	MGU6.006.576
slate grey	MGU6.006.877	MGU6.006.577
bright chrome	MGU66.006.810	MGU66.006.510
gold	MGU66.006.804	MGU66.006.504



MGU6.006V.18




MGU6.008.18

white
 ivory


- champagne
- indigo blue
- terracotta
- glacier blue
- apple green
- mist grey
- pistachio
- sand
- orange
- water green
- cacao
- garnet
- manganese blue
- mink
- mauve
- slate grey
- bright chrome
- gold

3 gang vertical installation




Colour	<input type="checkbox"/> white	<input type="checkbox"/> ivory
<input type="checkbox"/> white	MGU6.006V.18	
<input type="checkbox"/> ivory		MGU6.006V.25
<input type="checkbox"/> champagne	MGU6.006V.824	MGU6.006V.524
<input type="checkbox"/> indigo blue		MGU6.006V.542
<input type="checkbox"/> terracotta	MGU6.006V.851	MGU6.006V.551
<input type="checkbox"/> glacier blue	MGU6.006V.854	
<input type="checkbox"/> apple green		MGU6.006V.563
<input type="checkbox"/> mist grey	MGU6.006V.865	MGU6.006V.565
<input type="checkbox"/> pistachio		MGU6.006V.566
<input type="checkbox"/> sand	MGU6.006V.867	MGU6.006V.567
<input type="checkbox"/> orange	MGU6.006V.869	MGU6.006V.569
<input type="checkbox"/> water green	MGU6.006V.870	MGU6.006V.570
<input type="checkbox"/> cacao	MGU6.006V.871	MGU6.006V.571
<input type="checkbox"/> garnet	MGU6.006V.872	MGU6.006V.572
<input type="checkbox"/> manganese blue	MGU6.006V.873	MGU6.006V.573
<input type="checkbox"/> mink	MGU6.006V.874	MGU6.006V.574
<input type="checkbox"/> mauve	MGU6.006V.876	MGU6.006V.576
<input type="checkbox"/> slate grey	MGU6.006V.877	MGU6.006V.577
<input type="checkbox"/> bright chrome	MGU66.006V.810	MGU66.006V.510
<input type="checkbox"/> gold	MGU66.006V.804	MGU66.006V.504

4 gang horizontal installation




Colour	<input type="checkbox"/> white	<input type="checkbox"/> ivory
<input type="checkbox"/> white	MGU6.008.18	
<input type="checkbox"/> ivory		MGU6.008.25
<input type="checkbox"/> champagne	MGU6.008.824	MGU6.008.524
<input type="checkbox"/> indigo blue	MGU6.008.842	MGU6.008.542
<input type="checkbox"/> terracotta	MGU6.008.851	MGU6.008.551
<input type="checkbox"/> glacier blue	MGU6.008.854	MGU6.008.554
<input type="checkbox"/> apple green	MGU6.008.863	MGU6.008.563
<input type="checkbox"/> mist grey	MGU6.008.865	MGU6.008.565
<input type="checkbox"/> pistachio	MGU6.008.866	MGU6.008.566
<input type="checkbox"/> sand	MGU6.008.867	MGU6.008.567
<input type="checkbox"/> orange	MGU6.008.869	MGU6.008.569
<input type="checkbox"/> water green	MGU6.008.870	MGU6.008.570
<input type="checkbox"/> cacao	MGU6.008.871	MGU6.008.571
<input type="checkbox"/> garnet	MGU6.008.872	MGU6.008.572
<input type="checkbox"/> manganese blue	MGU6.008.873	MGU6.008.573
<input type="checkbox"/> mink	MGU6.008.874	MGU6.008.574
<input type="checkbox"/> mauve	MGU6.008.876	MGU6.008.576
<input type="checkbox"/> slate grey	MGU6.008.877	MGU6.008.577
<input type="checkbox"/> bright chrome	MGU66.008.810	MGU66.008.510
<input type="checkbox"/> gold	MGU66.008.804	MGU66.008.504



MGU6.502.18

MGU6.504.18






MGU6.506.25





MGU61.002.18

Supplementary frames

	1 gang	2 gang
		
Colour		
<input type="checkbox"/> white	MGU6.502.18	MGU6.504.18
<input type="checkbox"/> ivory	MGU6.502.25	
	3 gang	
		
Colour		
<input type="checkbox"/> ivory	MGU6.506.25	

IP44 cover and fixing frames

	1 gang without claws	1 gang with claws
		
Colour		
<input type="checkbox"/> white	MGU61.002.18	MGU61.002.18G
<input type="checkbox"/> ivory	MGU61.002.25	MGU61.002.25G
<input type="checkbox"/> champagne	MGU61.002.824	
<input type="checkbox"/> indigo blue	MGU61.002.842	
<input type="checkbox"/> terracotta	MGU61.002.851	
<input type="checkbox"/> glacier blue	MGU61.002.854	
<input type="checkbox"/> apple green	MGU61.002.863	
<input type="checkbox"/> mist grey	MGU61.002.865	
<input type="checkbox"/> pistachio	MGU61.002.866	
<input type="checkbox"/> sand	MGU61.002.867	
<input type="checkbox"/> orange	MGU61.002.869	
<input type="checkbox"/> water green	MGU61.002.870	
<input type="checkbox"/> cacao	MGU61.002.871	
<input type="checkbox"/> garnet	MGU61.002.872	
<input type="checkbox"/> manganese blue	MGU61.002.873	
<input type="checkbox"/> mink	MGU61.002.874	
<input type="checkbox"/> mauve	MGU61.002.876	
<input type="checkbox"/> slate grey	MGU61.002.877	

Unica Quadro




Unica Quadro aesthetics

Metallized colours



Natura colours





P104903

Pearl colours



P104526

Salmon .37

P104527

Pearl .35

P104528

Candy .36

Quadro colours



P104520

White .18

P104521

Ivory .25

P104518

Stone .16

P104519

Urban green .17



MGU2.702.18





MGU2.704.18





MGU42.706.18



MGU2.708.18

	1 gang	2 gang
		
Quadro		
□ white	MGU2.702.18	MGU2.704.18
□ ivory	MGU2.702.25	MGU2.704.25
□ stone	MGU2.702.16	MGU2.704.16
□ Urban green	MGU2.702.17	MGU2.704.17
Quadro Natura		
■ aqua	MGU4.702.26	MGU4.704.26
■ lipstick	MGU4.702.27	MGU4.704.27
■ bio	MGU4.702.28	MGU4.704.28
■ citrus	MGU4.702.29	MGU4.704.29
Quadro Pearl		
■ salmon	MGU4.702.37	MGU4.704.37
■ pearl	MGU4.702.35	MGU4.704.35
■ candy	MGU4.702.36	MGU4.704.36
Quadro Metallized		
■ silver	MGU6.702.55	MGU6.704.55
■ copper	MGU6.702.56	MGU6.704.56
■ titanium	MGU6.702.57	MGU6.704.57

	3 gang	4 gang
		
Quadro		
□ white	MGU2.706.18	MGU2.708.18
□ ivory	MGU2.706.25	MGU2.708.25
□ stone	MGU2.706.16	MGU2.708.16
□ Urban green	MGU2.706.17	MGU2.708.17
Quadro Natura		
■ aqua	MGU4.706.26	MGU4.708.26
■ lipstick	MGU4.706.27	MGU4.708.27
■ bio	MGU4.706.28	MGU4.708.28
■ citrus	MGU4.706.29	MGU4.708.29
Quadro Pearl		
■ salmon	MGU4.706.37	MGU4.708.37
■ pearl	MGU4.706.35	MGU4.708.35
■ candy	MGU4.706.36	MGU4.708.36
Quadro Metallized		
■ silver	MGU6.706.55	MGU6.708.55
■ copper	MGU6.706.56	MGU6.708.56
■ titanium	MGU6.706.57	MGU6.708.57

Unica Colors



Unica Colors aesthetics




P104902



P84956

Graphite grey .62



P91459

Red .43



P84599

Terracotta .51



P91460

Violet .31



P87451
MGU4.002.18



P87452
MGU4.002.18



P87453
MGU4.004.18



P87454
MGU4.006.18



P104532
MGU4.010.18

1 gang



Colour


white

ivory

MGU4.002.18

MGU4.002.25

2 gang



Colour


white

ivory

MGU4.004.18

MGU4.004.25

3 gang



Colour


white

ivory

MGU4.006.18

MGU4.006.25

4 gang



Colour


white

ivory

MGU4.008.18

MGU4.008.25

5 gang



Colour

white

ivory

MGU4.010.18


MGU4.010.25




MGU4.000.18



MGU2.502.18


Decorative frames	
	
Colour	
<input type="checkbox"/> white	MGU4.000.18
<input type="checkbox"/> ivory	MGU4.000.25
<input type="checkbox"/> royal yellow	MGU4.000.01
<input type="checkbox"/> lavender blue	MGU4.000.05
<input type="checkbox"/> moss green	MGU4.000.06
<input type="checkbox"/> bronze	MGU4.000.13
<input type="checkbox"/> champagne	MGU4.000.24
<input type="checkbox"/> violet	MGU4.000.31
<input type="checkbox"/> pastel blue	MGU4.000.34
<input type="checkbox"/> indigo blue	MGU4.000.42
<input type="checkbox"/> red	MGU4.000.43
<input type="checkbox"/> beige	MGU4.000.44
<input type="checkbox"/> pastry green	MGU4.000.48
<input type="checkbox"/> terracotta	MGU4.000.51
<input type="checkbox"/> glacier blue	MGU4.000.54
<input type="checkbox"/> technical grey	MGU4.000.58
<input type="checkbox"/> cream	MGU4.000.59
<input type="checkbox"/> dull silver	MGU4.000.60
<input type="checkbox"/> graphite grey	MGU4.000.62
<input type="checkbox"/> golden	MGU4.000.64

Supplementary frames	
1 gang	
	
Colour	
<input type="checkbox"/> white	MGU2.502.18

Unica Basic



P100764



P84851

Ivory .25



P84853

Cream / ivory .559



P86055

Cream / white .859



P84860

White .18




P84852

Technical grey / white .858



MGU2.002.18



MGU2.004.18



MGU2.006.18



MGU2.008.18



MGU2.010.18



MGU2.502.18

1 gang



1 gang monobloc



Colour	1 gang	1 gang monobloc
<input type="checkbox"/> white	MGU2.002.18	MGU2.002.18M
<input type="checkbox"/> ivory	MGU2.002.25	MGU2.002.25M
<input type="checkbox"/> technical grey/white	MGU2.002.858	
<input type="checkbox"/> cream/ivory	MGU2.002.559	
<input type="checkbox"/> cream/white	MGU2.002.859	

2 gang



Colour	2 gang
<input type="checkbox"/> white	MGU2.004.18
<input type="checkbox"/> ivory	MGU2.004.25
<input type="checkbox"/> technical grey/white	MGU2.004.858
<input type="checkbox"/> cream/ivory	MGU2.004.559
<input type="checkbox"/> cream/white	MGU2.004.859

3 gang




Colour	3 gang
<input type="checkbox"/> white	MGU2.006.18
<input type="checkbox"/> ivory	MGU2.006.25
<input type="checkbox"/> technical grey/white	MGU2.006.858
<input type="checkbox"/> cream/ivory	MGU2.006.559
<input type="checkbox"/> cream/white	MGU2.006.859

4 gang



Colour	4 gang
<input type="checkbox"/> white	MGU2.008.18
<input type="checkbox"/> ivory	MGU2.008.25
<input type="checkbox"/> technical grey/white	MGU2.008.858
<input type="checkbox"/> cream/ivory	MGU2.008.559
<input type="checkbox"/> cream/white	MGU2.008.859

5 gang



Colour	5 gang
<input type="checkbox"/> white	MGU2.010.18
<input type="checkbox"/> ivory	MGU2.010.25

Supplementary frames

1 gang



Colour	1 gang
<input type="checkbox"/> white	MGU2.502.18

	page
Switches and push-buttons	xxx
Fuse holders	xxx
Rotary electronic dimmer switches	xxx
Push-button dimmer switches	xxx
Movement and presence detectors	xxx
Thermostats	xxx
Weekly-programmable thermostats	xxx
Time-delay switches	xxx
Weekly programmable timers	xxx
Weatherstations	xxx
Wake up clocks	xxx
Key card switches	xxx
Socket-outlets	xxx
RJ45 data sockets	xxx
TV/FM/SAT sockets	xxx
Telephone sockets	xxx
Buzzers	xxx
Electronic bells	xxx
Emergency lights	xxx
Cover frames	xxx

Unica technical informations
See ISC1064EN_Part7

0_TitleLevel1

0_TitleLevel2

Unica KNX

- Presentation
- Quick-selection guide
- Technical information

See ISC1064EN_Part8

Reference number overview

Ref	page	Ref	page	Ref	page	Ref	page	Ref	page
MGU0.822.AL.....	31	MGU4.000.58.....	99	MGU6.002.865.....	84	MGU6.004V.865.....	85	MGU6.006V.870.....	86
MGU0.822.AL.....	64	MGU4.000.59.....	99	MGU6.002.866.....	84	MGU6.004V.866.....	85	MGU6.006V.871.....	86
MGU0.822.AZL.....	31	MGU4.000.60.....	99	MGU6.002.867.....	84	MGU6.004V.867.....	85	MGU6.006V.872.....	86
MGU0.822.AZL.....	64	MGU4.000.62.....	99	MGU6.002.869.....	84	MGU6.004V.869.....	85	MGU6.006V.873.....	86
MGU0.823.AM.....	31	MGU4.000.64.....	99	MGU6.002.870.....	84	MGU6.004V.870.....	85	MGU6.006V.874.....	86
MGU0.823.AM.....	64	MGU4.002.18.....	98	MGU6.002.871.....	84	MGU6.004V.871.....	85	MGU6.006V.876.....	86
MGU0.824.....	35	MGU4.002.25.....	98	MGU6.002.872.....	84	MGU6.004V.872.....	85	MGU6.006V.877.....	86
MGU0.824.....	69	MGU4.004.18.....	98	MGU6.002.873.....	84	MGU6.004V.873.....	85	MGU6.008.12.....	57
MGU0.825.AL.....	31	MGU4.004.25.....	98	MGU6.002.874.....	84	MGU6.004V.874.....	85	MGU6.008.18.....	86
MGU0.825.AL.....	64	MGU4.006.18.....	98	MGU6.002.876.....	84	MGU6.004V.876.....	85	MGU6.008.25.....	86
MGU0.825.AZL.....	31	MGU4.006.25.....	98	MGU6.002.877.....	84	MGU6.004V.877.....	85	MGU6.008.30.....	57
MGU0.825.AZL.....	64	MGU4.008.18.....	98	MGU6.004.12.....	56	MGU6.006.12.....	57	MGU6.008.524.....	86
MGU0.839.12.....	37	MGU4.008.25.....	98	MGU6.004.18.....	84	MGU6.006.18.....	85	MGU6.008.542.....	86
MGU0.839.18.....	71	MGU4.010.18.....	98	MGU6.004.25.....	84	MGU6.006.25.....	85	MGU6.008.551.....	86
MGU0.839.30.....	37	MGU4.010.25.....	98	MGU6.004.30.....	56	MGU6.006.30.....	57	MGU6.008.554.....	86
MGU2.002.18.....	102	MGU4.702.26.....	92	MGU6.004.524.....	84	MGU6.006.524.....	85	MGU6.008.563.....	86
MGU2.002.18M.....	102	MGU4.702.27.....	92	MGU6.004.542.....	84	MGU6.006.542.....	85	MGU6.008.565.....	86
MGU2.002.25.....	102	MGU4.702.28.....	92	MGU6.004.551.....	84	MGU6.006.551.....	85	MGU6.008.566.....	86
MGU2.002.25M.....	102	MGU4.702.29.....	92	MGU6.004.554.....	84	MGU6.006.554.....	85	MGU6.008.567.....	86
MGU2.002.559.....	102	MGU4.702.35.....	92	MGU6.004.563.....	84	MGU6.006.563.....	85	MGU6.008.569.....	86
MGU2.002.858.....	102	MGU4.702.36.....	92	MGU6.004.565.....	84	MGU6.006.565.....	85	MGU6.008.570.....	86
MGU2.002.859.....	102	MGU4.702.37.....	92	MGU6.004.566.....	84	MGU6.006.566.....	85	MGU6.008.571.....	86
MGU2.004.18.....	102	MGU4.704.26.....	92	MGU6.004.567.....	84	MGU6.006.567.....	85	MGU6.008.572.....	86
MGU2.004.25.....	102	MGU4.704.27.....	92	MGU6.004.569.....	84	MGU6.006.569.....	85	MGU6.008.573.....	86
MGU2.004.559.....	102	MGU4.704.28.....	92	MGU6.004.570.....	84	MGU6.006.570.....	85	MGU6.008.574.....	86
MGU2.004.858.....	102	MGU4.704.29.....	92	MGU6.004.571.....	84	MGU6.006.571.....	85	MGU6.008.576.....	86
MGU2.004.859.....	102	MGU4.704.35.....	92	MGU6.004.572.....	84	MGU6.006.572.....	85	MGU6.008.577.....	86
MGU2.006.18.....	102	MGU4.704.36.....	92	MGU6.004.573.....	84	MGU6.006.573.....	85	MGU6.008.824.....	86
MGU2.006.25.....	102	MGU4.704.37.....	92	MGU6.004.574.....	84	MGU6.006.574.....	85	MGU6.008.842.....	86
MGU2.006.559.....	102	MGU4.706.26.....	92	MGU6.004.576.....	84	MGU6.006.576.....	85	MGU6.008.851.....	86
MGU2.006.858.....	102	MGU4.706.27.....	92	MGU6.004.577.....	84	MGU6.006.577.....	85	MGU6.008.854.....	86
MGU2.006.859.....	102	MGU4.706.28.....	92	MGU6.004.824.....	84	MGU6.006.824.....	85	MGU6.008.863.....	86
MGU2.008.18.....	102	MGU4.706.29.....	92	MGU6.004.842.....	84	MGU6.006.842.....	85	MGU6.008.865.....	86
MGU2.008.25.....	102	MGU4.706.35.....	92	MGU6.004.851.....	84	MGU6.006.851.....	85	MGU6.008.866.....	86
MGU2.008.559.....	102	MGU4.706.36.....	92	MGU6.004.854.....	84	MGU6.006.854.....	85	MGU6.008.867.....	86
MGU2.008.858.....	102	MGU4.706.37.....	92	MGU6.004.863.....	84	MGU6.006.863.....	85	MGU6.008.869.....	86
MGU2.008.859.....	102	MGU4.708.26.....	92	MGU6.004.865.....	84	MGU6.006.865.....	85	MGU6.008.870.....	86
MGU2.010.18.....	102	MGU4.708.27.....	92	MGU6.004.866.....	84	MGU6.006.866.....	85	MGU6.008.871.....	86
MGU2.010.25.....	102	MGU4.708.28.....	92	MGU6.004.867.....	84	MGU6.006.867.....	85	MGU6.008.872.....	86
MGU2.502.18.....	99	MGU4.708.29.....	92	MGU6.004.869.....	84	MGU6.006.869.....	85	MGU6.008.873.....	86
MGU2.502.18.....	102	MGU4.708.35.....	92	MGU6.004.870.....	84	MGU6.006.870.....	85	MGU6.008.874.....	86
MGU2.702.16.....	92	MGU4.708.36.....	92	MGU6.004.871.....	84	MGU6.006.871.....	85	MGU6.008.876.....	86
MGU2.702.17.....	92	MGU4.708.37.....	92	MGU6.004.872.....	84	MGU6.006.872.....	85	MGU6.008.877.....	86
MGU2.702.18.....	92	MGU5.512.12ZD.....	32	MGU6.004.873.....	84	MGU6.006.873.....	85	MGU6.502.18.....	87
MGU2.702.25.....	92	MGU5.512.18ZD.....	66	MGU6.004.874.....	84	MGU6.006.874.....	85	MGU6.502.25.....	87
MGU2.704.16.....	92	MGU5.512.25ZD.....	66	MGU6.004.876.....	84	MGU6.006.876.....	85	MGU6.504.18.....	87
MGU2.704.17.....	92	MGU5.512.30ZD.....	32	MGU6.004.877.....	84	MGU6.006.877.....	85	MGU6.506.25.....	87
MGU2.704.18.....	92	MGU6.002.12.....	56	MGU6.004V.12.....	56	MGU6.006V.12.....	57	MGU6.702.55.....	92
MGU2.704.25.....	92	MGU6.002.18.....	84	MGU6.004V.18.....	85	MGU6.006V.18.....	86	MGU6.702.56.....	92
MGU2.706.16.....	92	MGU6.002.25.....	84	MGU6.004V.25.....	85	MGU6.006V.25.....	86	MGU6.702.57.....	92
MGU2.706.17.....	92	MGU6.002.30.....	56	MGU6.004V.30.....	56	MGU6.006V.30.....	57	MGU6.704.55.....	92
MGU2.706.18.....	92	MGU6.002.524.....	84	MGU6.004V.524.....	85	MGU6.006V.524.....	86	MGU6.704.56.....	92
MGU2.706.25.....	92	MGU6.002.542.....	84	MGU6.004V.542.....	85	MGU6.006V.542.....	86	MGU6.704.57.....	92
MGU2.708.16.....	92	MGU6.002.551.....	84	MGU6.004V.551.....	85	MGU6.006V.551.....	86	MGU6.706.55.....	92
MGU2.708.17.....	92	MGU6.002.554.....	84	MGU6.004V.554.....	85	MGU6.006V.554.....	86	MGU6.706.56.....	92
MGU2.708.18.....	92	MGU6.002.563.....	84	MGU6.004V.563.....	85	MGU6.006V.563.....	86	MGU6.706.57.....	92
MGU2.708.25.....	92	MGU6.002.565.....	84	MGU6.004V.565.....	85	MGU6.006V.565.....	86	MGU6.708.55.....	92
MGU4.000.01.....	99	MGU6.002.566.....	84	MGU6.004V.566.....	85	MGU6.006V.566.....	86	MGU6.708.56.....	92
MGU4.000.05.....	99	MGU6.002.567.....	84	MGU6.004V.567.....	85	MGU6.006V.567.....	86	MGU6.708.57.....	92
MGU4.000.06.....	99	MGU6.002.569.....	84	MGU6.004V.569.....	85	MGU6.006V.569.....	86	MGU23.063.18.....	71
MGU4.000.13.....	99	MGU6.002.570.....	84	MGU6.004V.570.....	85	MGU6.006V.570.....	86	MGU23.063.18D.....	71
MGU4.000.18.....	99	MGU6.002.571.....	84	MGU6.004V.571.....	85	MGU6.006V.571.....	86	MGU23.063.25.....	71
MGU4.000.24.....	99	MGU6.002.572.....	84	MGU6.004V.572.....	85	MGU6.006V.572.....	86	MGU23.063.25D.....	71
MGU4.000.25.....	99	MGU6.002.573.....	84	MGU6.004V.573.....	85	MGU6.006V.573.....	86	MGU23.065.18.....	71
MGU4.000.31.....	99	MGU6.002.574.....	84	MGU6.004V.574.....	85	MGU6.006V.574.....	86	MGU23.065.18D.....	71
MGU4.000.34.....	99	MGU6.002.576.....	84	MGU6.004V.576.....	85	MGU6.006V.576.....	86	MGU23.065.25.....	71
MGU4.000.42.....	99	MGU6.002.577.....	84	MGU6.004V.577.....	85	MGU6.006V.577.....	86	MGU23.065.25D.....	71
MGU4.000.43.....	99	MGU6.002.824.....	84	MGU6.004V.824.....	85	MGU6.006V.824.....	86	MGU23.067.18.....	71
MGU4.000.44.....	99	MGU6.002.842.....	84	MGU6.004V.842.....	85	MGU6.006V.851.....	86	MGU23.067.18D.....	71
MGU4.000.48.....	99	MGU6.002.851.....	84	MGU6.004V.851.....	85	MGU6.006V.854.....	86	MGU23.067.25.....	71
MGU4.000.51.....	99	MGU6.002.854.....	84	MGU6.004V.854.....	85	MGU6.006V.865.....	86	MGU23.067.25D.....	71
MGU4.000.54.....	99	MGU6.002.863.....	84	MGU6.004V.863.....	85	MGU6.006V.867.....	86	MGU50.033.18Z.....	70
						MGU6.006V.869.....	86		

Reference number overview

Ref	page	Ref	page	Ref	page	Ref	page	Ref	page
MGU50.033.25Z	70	MGU50.207.18Z	65	MGU50.460.30Z	38	MGU50.535.18Z	68	MGU61.002.874	87
MGU50.033.30Z	37	MGU50.207.25Z	65	MGU50.462.12Z	40	MGU50.535.25Z	68	MGU61.002.876	87
MGU50.036.12Z	36	MGU50.207.30Z	31	MGU50.462.18Z	76	MGU50.535.30Z	34	MGU61.002.877	87
MGU50.036.18Z	70	MGU50.208.12Z	31	MGU50.462.25Z	76	MGU50.541.12Z	34	MGU61.037.18	70
MGU50.036.25Z	70	MGU50.208.18Z	65	MGU50.462.30Z	40	MGU50.541.18	68	MGU61.037.25	70
MGU50.036.30Z	36	MGU50.208.25Z	65	MGU50.463.12Z	40	MGU50.541.25	68	MGU63.063.18	72
MGU50.037.03Z	36	MGU50.208.30Z	31	MGU50.463.18Z	76	MGU50.541.30Z	34	MGU63.063.25	72
MGU50.037.03Z	70	MGU50.211.12Z	28	MGU50.463.30Z	40	MGU50.545.12Z	35	MGU63.063.524	72
MGU50.037.12TAZ	36	MGU50.211.18Z	62	MGU50.464.12Z	40	MGU50.545.18Z	68	MGU63.063.563	72
MGU50.037.12Z	36	MGU50.211.25Z	62	MGU50.464.18Z	76	MGU50.545.25Z	68	MGU63.063.567	72
MGU50.037.18TAZ	70	MGU50.211.30Z	28	MGU50.464.30Z	40	MGU50.545.30Z	35	MGU63.063.824	72
MGU50.037.18Z	70	MGU50.213.12Z	28	MGU50.465.12Z	40	MGU50.701.12Z	30	MGU63.063.842	72
MGU50.037.25TAZ	70	MGU50.213.18Z	62	MGU50.465.18Z	76	MGU50.701.30Z	30	MGU63.063.851	72
MGU50.037.25Z	70	MGU50.213.25Z	62	MGU50.465.25Z	76	MGU50.776.TZ	41	MGU63.063.854	72
MGU50.037.30TAZ	36	MGU50.213.30Z	28	MGU50.465.30Z	40	MGU50.776.TZ	77	MGU63.063.863	72
MGU50.037.30Z	36	MGU50.261.18NZ	63	MGU50.466.18Z	76	MGU50.785.18Z	77	MGU63.063.865	72
MGU50.039.03Z	36	MGU50.261.18SZ	63	MGU50.467.12Z	40	MGU50.786.18Z	77	MGU63.063.866	72
MGU50.039.03Z	70	MGU50.261.18Z	62	MGU50.467.18Z	76	MGU50.786.25Z	77	MGU63.063.867	72
MGU50.039.12Z	36	MGU50.261.25Z	62	MGU50.467.25Z	76	MGU50.862.12Z	41	MGU63.063.869	72
MGU50.039.18Z	70	MGU50.262.12SZ	29	MGU50.467.30Z	40	MGU50.862.18Z	77	MGU63.063.870	72
MGU50.039.25Z	70	MGU50.262.18SZ	63	MGU50.486.12Z	41	MGU50.862.25PD	77	MGU63.063.871	72
MGU50.039.30Z	36	MGU50.262.18Z	62	MGU50.486.18Z	77	MGU50.862.30Z	41	MGU63.063.872	72
MGU50.040.12Z	36	MGU50.262.25Z	62	MGU50.486.25Z	77	MGU50.866.12Z	41	MGU63.063.874	72
MGU50.040.30Z	36	MGU50.262.30SZ	29	MGU50.486.30Z	41	MGU50.866.18Z	77	MGU63.063.876	72
MGU50.0101.18NZ	63	MGU50.262.30Z	28	MGU50.492.12Z	40	MGU50.866.25Z	77	MGU63.065.18	72
MGU50.0101.18NZ	63	MGU50.263.18NZ	63	MGU50.492.18Z	76	MGU50.866.30Z	41	MGU63.065.18D	72
MGU50.0101.18Z	62	MGU50.263.18SZ	63	MGU50.492.25Z	76	MGU50.979.12Z	38	MGU63.065.25	72
MGU50.0101.25Z	62	MGU50.263.18Z	62	MGU50.492.30Z	40	MGU50.979.18Z	74	MGU63.065.25D	72
MGU50.201.12NZ	29	MGU50.263.30NZ	29	MGU50.493.18Z	76	MGU50.979.25Z	74	MGU63.065.524	72
MGU50.201.12Z	28	MGU50.283.18Z	69	MGU50.493.25Z	76	MGU50.979.30Z	38	MGU63.065.524D	72
MGU50.201.18NZ	63	MGU50.283.25Z	69	MGU50.493.30Z	40	MGU50.2020.12Z	38	MGU63.065.542D	72
MGU50.201.18Z	62	MGU50.411.18Z	74	MGU50.497.18Z	76	MGU50.2020.18Z	74	MGU63.065.551	72
MGU50.201.25NZ	63	MGU50.411.25Z	74	MGU50.497.25Z	76	MGU50.2020.25Z	74	MGU63.065.551D	72
MGU50.201.25Z	62	MGU50.421.12Z	38	MGU50.501.12Z	34	MGU50.2020.30Z	38	MGU63.065.554	72
MGU50.201.30NZ	29	MGU50.421.18Z	74	MGU50.501.18Z	68	MGU50.2090.18Z	74	MGU63.065.554D	72
MGU50.201.30Z	28	MGU50.421.25Z	74	MGU50.501.25Z	68	MGU50.2090.25Z	74	MGU63.065.563D	72
MGU50.201T.12NZ	29	MGU50.421.30Z	38	MGU50.501.30Z	34	MGU50.2222.18Z	74	MGU63.065.565	72
MGU50.201T.30NZ	29	MGU50.423.12Z	38	MGU50.505.12Z	34	MGU50.2424.12Z	38	MGU63.065.565D	72
MGU50.203.12NZ	29	MGU50.423.18Z	74	MGU50.505.18Z	68	MGU50.2424.18Z	74	MGU63.065.566D	72
MGU50.203.12Z	28	MGU50.423.25Z	74	MGU50.505.25Z	68	MGU50.2424.25Z	74	MGU63.065.567	72
MGU50.203.18NZ	63	MGU50.423.30Z	38	MGU50.505.30Z	34	MGU50.2424.30Z	38	MGU63.065.567D	72
MGU50.203.18SZ	63	MGU50.425.18Z	74	MGU50.510.12Z	32	MGU50.2626.18Z	74	MGU63.065.569	72
MGU50.203.18Z	62	MGU50.425.25Z	74	MGU50.510.18Z	66	MGU50.2626.30Z	38	MGU63.065.569D	72
MGU50.203.18ZS	62	MGU50.425.30Z	38	MGU50.510.25Z	66	MGU50.3131.18Z	70	MGU63.065.571	72
MGU50.203.25NZ	63	MGU50.427.18Z	74	MGU50.510.30Z	32	MGU50.6161.18Z	74	MGU63.065.571D	72
MGU50.203.25Z	62	MGU50.427.30Z	38	MGU50.511.12Z	32	MGU50.8787.12Z	41	MGU63.065.572	72
MGU50.203.30NZ	29	MGU50.451.12Z	39	MGU50.511.18Z	66	MGU50.8787.18Z	77	MGU63.065.572D	72
MGU50.203.30Z	28	MGU50.451.18Z	75	MGU50.511.25Z	66	MGU50.8787.25Z	77	MGU63.065.574	72
MGU50.205.12Z	28	MGU50.451.25Z	75	MGU50.511.30Z	32	MGU50.8787.30Z	41	MGU63.065.574D	72
MGU50.205.18NZ	63	MGU50.451.30Z	39	MGU50.515.12Z	32	MGU50.9090.18Z	76	MGU63.065.576D	72
MGU50.205.18Z	62	MGU50.452.12Z	39	MGU50.515.18Z	66	MGU50.9090.25Z	76	MGU63.065.577	72
MGU50.205.25NZ	63	MGU50.452.18Z	75	MGU50.515.25Z	66	MGU50.9191.18Z	76	MGU63.065.577D	72
MGU50.205.25Z	62	MGU50.452.25Z	75	MGU50.515.30Z	32	MGU50.9191.25Z	76	MGU63.065.824	72
MGU50.205.30Z	28	MGU50.452.30Z	39	MGU50.524.12Z	33	MGU50.9191.30Z	40	MGU63.065.824D	72
MGU50.206.12NZ	30	MGU50.453.12Z	39	MGU50.524.18Z	67	MGU57.203.18ZS	62	MGU63.065.842D	72
MGU50.206.12Z	30	MGU50.453.18Z	75	MGU50.524.25Z	67	MGU61.002.18	87	MGU63.065.851	72
MGU50.206.18CNZ	64	MGU50.453.25Z	75	MGU50.524.30Z	33	MGU61.002.18G	87	MGU63.065.851D	72
MGU50.206.18CZ	64	MGU50.453.30Z	39	MGU50.525.12Z	33	MGU61.002.25	87	MGU63.065.854	72
MGU50.206.18LNZ	64	MGU50.454.12Z	39	MGU50.525.18Z	67	MGU61.002.25G	87	MGU63.065.854D	72
MGU50.206.18Z	64	MGU50.454.18Z	75	MGU50.525.25Z	67	MGU61.002.824	87	MGU63.065.863	72
MGU50.206.18Z	64	MGU50.454.25Z	75	MGU50.525.30Z	33	MGU61.002.842	87	MGU63.065.863D	72
MGU50.206.18NZ	64	MGU50.454.30Z	39	MGU50.530.18	78	MGU61.002.851	87	MGU63.065.865	72
MGU50.206.18Z	64	MGU50.455.12Z	39	MGU50.530.25	78	MGU61.002.854	87	MGU63.065.865D	72
MGU50.206.25CNZ	64	MGU50.455.18Z	75	MGU50.531.18	78	MGU61.002.863	87	MGU63.065.866	72
MGU50.206.25CZ	64	MGU50.455.25Z	75	MGU50.531.25	78	MGU61.002.865	87	MGU63.065.866D	72
MGU50.206.25LZ	64	MGU50.455.30Z	39	MGU50.532.18	78	MGU61.002.866	87	MGU63.065.867	72
MGU50.206.25NZ	64	MGU50.456.12Z	39	MGU50.532.25	78	MGU61.002.867	87	MGU63.065.867D	72
MGU50.206.25Z	64	MGU50.456.18Z	75	MGU50.533.18	79	MGU61.002.869	87	MGU63.065.869	72
MGU50.206.30NZ	30	MGU50.456.25Z	75	MGU50.533.25	79	MGU61.002.870	87	MGU63.065.869D	72
MGU50.206.30Z	30	MGU50.456.30Z	39	MGU50.534.18	79	MGU61.002.871	87	MGU63.065.870	72
MGU50.206T.12NZ	30	MGU50.460.12Z	38	MGU50.534.25	79	MGU61.002.872	87	MGU63.065.870D	72
MGU50.206T.30NZ	30	MGU50.460.18Z	74	MGU50.535.12Z	34	MGU61.002.873	87	MGU63.065.871	72
MGU50.207.12Z	31								

Reference number overview

Ref	page	Ref	page	Ref	page	Ref	page
MGU63.065.871D.....	72	MGU66.002.094.....	56	MGU66.004V.296.....	56	MGU66.008.2M4.....	57
MGU63.065.872.....	72	MGU66.002.095.....	56	MGU66.004V.297.....	56	MGU66.008.010.....	57
MGU63.065.872D.....	72	MGU66.002.096.....	56	MGU66.004V.298.....	56	MGU66.008.038.....	57
MGU63.065.873D.....	72	MGU66.002.097.....	56	MGU66.004V.504.....	85	MGU66.008.039.....	57
MGU63.065.874.....	72	MGU66.002.098.....	56	MGU66.004V.510.....	85	MGU66.008.092.....	57
MGU63.065.874D.....	72	MGU66.002.210.....	56	MGU66.004V.804.....	85	MGU66.008.093.....	57
MGU63.065.876.....	72	MGU66.002.238.....	56	MGU66.004V.810.....	85	MGU66.008.094.....	57
MGU63.065.876D.....	72	MGU66.002.239.....	56	MGU66.006.0M2.....	57	MGU66.008.095.....	57
MGU63.065.877.....	72	MGU66.002.292.....	56	MGU66.006.0M3.....	57	MGU66.008.096.....	57
MGU63.065.877D.....	72	MGU66.002.293.....	56	MGU66.006.0M4.....	57	MGU66.008.097.....	57
MGU63.067.18.....	73	MGU66.002.294.....	56	MGU66.006.2M2.....	57	MGU66.008.098.....	57
MGU63.067.18D.....	73	MGU66.002.295.....	56	MGU66.006.2M3.....	57	MGU66.008.210.....	57
MGU63.067.25.....	73	MGU66.002.296.....	56	MGU66.006.2M4.....	57	MGU66.008.238.....	57
MGU63.067.25D.....	73	MGU66.002.297.....	56	MGU66.006.010.....	57	MGU66.008.239.....	57
MGU63.067.524.....	73	MGU66.002.298.....	56	MGU66.006.038.....	57	MGU66.008.292.....	57
MGU63.067.524D.....	73	MGU66.002.504.....	84	MGU66.006.039.....	57	MGU66.008.293.....	57
MGU63.067.551.....	73	MGU66.002.510.....	84	MGU66.006.092.....	57	MGU66.008.294.....	57
MGU63.067.554.....	73	MGU66.002.804.....	84	MGU66.006.093.....	57	MGU66.008.295.....	57
MGU63.067.567.....	73	MGU66.002.810.....	84	MGU66.006.094.....	57	MGU66.008.296.....	57
MGU63.067.571.....	73	MGU66.004.0M2.....	56	MGU66.006.095.....	57	MGU66.008.297.....	57
MGU63.067.571D.....	73	MGU66.004.0M3.....	56	MGU66.006.096.....	57	MGU66.008.298.....	57
MGU63.067.572.....	73	MGU66.004.0M4.....	56	MGU66.006.097.....	57	MGU66.008.504.....	86
MGU63.067.576.....	73	MGU66.004.2M2.....	56	MGU66.006.098.....	57	MGU66.008.510.....	86
MGU63.067.824.....	73	MGU66.004.2M3.....	56	MGU66.006.210.....	57	MGU66.008.804.....	86
MGU63.067.824D.....	73	MGU66.004.2M4.....	56	MGU66.006.238.....	57	MGU66.008.810.....	86
MGU63.067.842.....	73	MGU66.004.010.....	56	MGU66.006.239.....	57	MGU68.002.7A1.....	50
MGU63.067.851.....	73	MGU66.004.038.....	56	MGU66.006.292.....	57	MGU68.002.7A2.....	50
MGU63.067.854.....	73	MGU66.004.039.....	56	MGU66.006.293.....	57	MGU68.002.7A3.....	50
MGU63.067.863.....	73	MGU66.004.092.....	56	MGU66.006.294.....	57	MGU68.002.7C1.....	50
MGU63.067.865D.....	73	MGU66.004.093.....	56	MGU66.006.295.....	57	MGU68.002.7C2.....	50
MGU63.067.866.....	73	MGU66.004.094.....	56	MGU66.006.296.....	57	MGU68.002.7C3.....	50
MGU63.067.867.....	73	MGU66.004.095.....	56	MGU66.006.297.....	57	MGU68.002.7P1.....	50
MGU63.067.867D.....	73	MGU66.004.096.....	56	MGU66.006.298.....	57	MGU68.002.7P2.....	50
MGU63.067.869.....	73	MGU66.004.097.....	56	MGU66.006.504.....	85	MGU68.002.7Z1.....	50
MGU63.067.870.....	73	MGU66.004.098.....	56	MGU66.006.510.....	85	MGU68.004.7A1.....	50
MGU63.067.870D.....	73	MGU66.004.210.....	56	MGU66.006.804.....	85	MGU68.004.7A2.....	50
MGU63.067.871.....	73	MGU66.004.238.....	56	MGU66.006.810.....	85	MGU68.004.7A3.....	50
MGU63.067.872.....	73	MGU66.004.239.....	56	MGU66.006V.0M2.....	57	MGU68.004.7C1.....	50
MGU63.067.872D.....	73	MGU66.004.292.....	56	MGU66.006V.0M3.....	57	MGU68.004.7C2.....	50
MGU63.067.877.....	73	MGU66.004.293.....	56	MGU66.006V.0M4.....	57	MGU68.004.7C3.....	50
MGU63.069.18.....	73	MGU66.004.294.....	56	MGU66.006V.2M2.....	57	MGU68.004.7P1.....	50
MGU63.069.25.....	73	MGU66.004.295.....	56	MGU66.006V.2M3.....	57	MGU68.004.7P2.....	50
MGU63.069.524.....	73	MGU66.004.296.....	56	MGU66.006V.2M4.....	57	MGU68.004.7Z1.....	50
MGU63.069.551.....	73	MGU66.004.297.....	56	MGU66.006V.010.....	57	MGU68.006.7A1.....	50
MGU63.069.567.....	73	MGU66.004.298.....	56	MGU66.006V.038.....	57	MGU68.006.7A2.....	50
MGU63.069.574.....	73	MGU66.004.504.....	84	MGU66.006V.039.....	57	MGU68.006.7A3.....	50
MGU63.069.824.....	73	MGU66.004.510.....	84	MGU66.006V.092.....	57	MGU68.006.7C1.....	50
MGU63.069.842.....	73	MGU66.004.804.....	84	MGU66.006V.093.....	57	MGU68.006.7C2.....	50
MGU63.069.851.....	73	MGU66.004.810.....	84	MGU66.006V.094.....	57	MGU68.006.7C3.....	50
MGU63.069.863.....	73	MGU66.004V.0M2.....	56	MGU66.006V.095.....	57	MGU68.006.7P1.....	50
MGU63.069.865.....	73	MGU66.004V.0M3.....	56	MGU66.006V.096.....	57	MGU68.006.7P2.....	50
MGU63.069.866.....	73	MGU66.004V.0M4.....	56	MGU66.006V.097.....	57	MGU68.006.7Z1.....	50
MGU63.069.867.....	73	MGU66.004V.2M2.....	56	MGU66.006V.098.....	57	MGU68.008.7A1.....	50
MGU63.069.869.....	73	MGU66.004V.2M3.....	56	MGU66.006V.210.....	57	MGU68.008.7A2.....	50
MGU63.069.870.....	73	MGU66.004V.2M4.....	56	MGU66.006V.238.....	57	MGU68.008.7A3.....	50
MGU63.069.871.....	73	MGU66.004V.010.....	56	MGU66.006V.239.....	57	MGU68.008.7C1.....	50
MGU63.069.872.....	73	MGU66.004V.038.....	56	MGU66.006V.292.....	57	MGU68.008.7C2.....	50
MGU63.069.873.....	73	MGU66.004V.039.....	56	MGU66.006V.293.....	57	MGU68.008.7C3.....	50
MGU63.069.874.....	73	MGU66.004V.092.....	56	MGU66.006V.294.....	57	MGU68.008.7P1.....	50
MGU63.069.876.....	73	MGU66.004V.093.....	56	MGU66.006V.295.....	57	MGU68.008.7P2.....	50
MGU63.069.877.....	73	MGU66.004V.094.....	56	MGU66.006V.296.....	57	MGU68.008.7Z1.....	50
MGU66.002.0M2.....	56	MGU66.004V.095.....	56	MGU66.006V.297.....	57	MTN570222.....	78
MGU66.002.0M3.....	56	MGU66.004V.096.....	56	MGU66.006V.298.....	57	U50.6568.12Z.....	39
MGU66.002.0M4.....	56	MGU66.004V.097.....	56	MGU66.006V.504.....	86	U50.6568.18Z.....	75
MGU66.002.2M2.....	56	MGU66.004V.098.....	56	MGU66.006V.510.....	86	U50.6568.25Z.....	75
MGU66.002.2M3.....	56	MGU66.004V.210.....	56	MGU66.006V.804.....	86	U50.6568.30Z.....	39
MGU66.002.2M4.....	56	MGU66.004V.238.....	56	MGU66.006V.810.....	86		
MGU66.002.010.....	56	MGU66.004V.239.....	56	MGU66.008.0M2.....	57		
MGU66.002.038.....	56	MGU66.004V.292.....	56	MGU66.008.0M3.....	57		
MGU66.002.039.....	56	MGU66.004V.293.....	56	MGU66.008.0M4.....	57		
MGU66.002.092.....	56	MGU66.004V.294.....	56	MGU66.008.2M2.....	57		
MGU66.002.093.....	56	MGU66.004V.295.....	56	MGU66.008.2M3.....	57		

Life Is On



Schneider Electric Industries SAS

35, rue Joseph Monier
CS 30323
92506 Rueil Malmaison Cedex
France

RCS Nanterre 954 503 439
Capital social 896 313 776 €
www.schneider-electric.com

December, 2016
Unica catalogue

© 2016 - Schneider Electric. All Rights Reserved.
All trademarks are owned by Schneider Electric Industries SAS or its affiliated companies.
ISC01090EN

This document has been
printed on recycled paper

