











ORBIS CCT



| | EAN | W | lm | K | Δ (°C) | V~ | mA | Hz | PF | 👤 |
|---|---------------|----|------|----------------|-----------|---------|-----|-------|------|--------|
| ORBIS 310mm 16W 827-860 Click-CCT | 4058075259751 | 16 | 1000 | 2700/4600/6000 | -20...+40 | 220-240 | 150 | 50/60 | >0.9 | 0.5 kg |
| ORBIS 410mm 21W 827-860 Click-CCT | 4058075259812 | 21 | 1400 | 2700/4600/6000 | -20...+40 | 220-240 | 95 | 50/60 | >0.9 | 0.9 kg |
| ORBIS 310mm 16.5W 827-860 Remote-CCT | 4058075227552 | 17 | 1000 | 2700-6000 | -20...+40 | 220-240 | 150 | 50/60 | >0.5 | 0.5 kg |
| ORBIS 410mm 21.5W 827-860 Remote-CCT | 4058075259836 | 22 | 1400 | 2700-6000 | -20...+40 | 220-240 | 195 | 50/60 | >0.5 | 0.9 kg |







C10449057
G11107803
18.11.2020



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com