



# CorePro LED candles and lusters

## CorePro lustre ND 7-60W E14 865 P48 FR

The CorePro LEDcandles and lusters are designed for retrofit replacement of incandescent lamps, and are particularly attractive for chandeliers. They are compatible with fixtures with an E14 holder for candles and E14 or E27 holders for lusters, and are available in either warm white, white or cool daylight color temperatures. LED lamps deliver huge energy savings and minimize maintenance cost. The CorePro LED candles and lusters are perfect for your basic lighting needs. They provide the beautiful light and dependable performance you expect from LED at an affordable price.

### Product data

General Information	
Cap-Base	E14 [ E14]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	7-60W
Light Technical	
Color Code	865 [ CCT of 6500K]
Luminous Flux (Nom)	830 lm
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	118.57 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	7 W
Lamp Current (Nom)	65 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	90 °C
Controls and Dimming	
Dimmable	No

# CorePro LED candles and lusters

## Mechanical and Housing

Bulb Finish	Frosted
Bulb Shape	P48

## Approval and Application


Energy Consumption kWh/1000 h	7 kWh
-------------------------------	-------

## Product Data

Full product code	871869674687500
-------------------	-----------------

Order product name	CorePro lustre ND 7-60W E14 865 P48 FR
EAN/UPC - Product	8718696746875
Order code	929001394802
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001394802
Net Weight (Piece)	0.072 kg


## Dimensional drawing




Candle P48 7-60W 830lm 6500K E14 ND FR

Product	D	C
CorePro lustre ND 7-60W E14 865 P48 FR	48 mm	95 mm

## Photometric data




CorePro LEDlustre 60W E14 865 FR P48



CorePro LEDcandle 60W E14 865 FR B38

# CorePro LED candles and lusters

## Photometric data




CorePro LEDlustre 60W E14 865 FR P48

## Lifetime



LEDbulb 60W E14 827 FR B38



LEDbulb 60W E14 827 FR B38

