

LED STRIP

W0J+12216

LED stripLED STRIP 48 (14,4) W in silicone cover. It is made of high-quality components, supported by a 5-year warranty. It has a high IP44 rating, making it ideal for use in rooms with high humidity. It also stands out for its very high colour rendering index RA>90. It shines with a cold light colour (6000K), which is suitable for rooms where we need to be most focused and concentrated, such as technical workstations.



Power	48 (14,4) W	Voltage	12 V
Luminous flux**	4300 (1340) lm (360°)	Colour temperature	6000 K
Colour of light	CW	Beam angle	120 °
Degree of protection (IP)	IP44		

Technical data

Code	W0J+12216
Power	48 (14,4) W
Nominal current	4000 mA
Voltage	12 V
Energy efficiency class	F
Energy consumption	8 kWh/1000h
Frequency	DC Hz
Power supply included	No
Power factor	1
Luminous flux**	4300 (1340) lm (360°)
Lamp efficacy	89 lm/W
Colour temperature	6000 K
Colour of light	CW
Beam angle	120 °
RA	90
Uniformity of color SDCM max	5
Dimmable	Yes
Working temperature range	-20/+40 °
Lifespan	50000 h
Degree of protection (IP)	IP44
Dimension (AxBxC)	10X5000 mm
For use	Inside
Application	INT
Made in	PRC
Other	1m-1220mA ,

Related documents



 Declaration of Conformity

