

VIRGA 2 W0JP10595

LED luminaire VIRGA 2, with a power of 27 W, high light efficacy 140 lm/W. It is made of high-quality components, supported by a 5-year warranty. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Narrow beam angle 90° gives directional light so that selected objects or surfaces can be better exposed. Designed for recessed mounting.





Colour temperature4000 KColour of light840Beam angle90 °Degree of protection (IP)IP54/20	Power	27 W	Voltage	230 V
Beam angle 90 ° Degree of protection (IP) IP54/20	Colour temperature	4000 K	Colour of light	840
	Beam angle	90 °	Degree of protection (IP)	IP54/20

www.spectrumled.pl



Technical data

Code	W0JP10595
Power	27 W
Nominal current	129 mA
Voltage	230 V
Energy consumption	27 kWh/1000h
Frequency	50HZ Hz
Protection class	П
Power supply included	+
Manufacturer of power	BRIDGELUX
supply	
Power factor	0.93
Useful luminous flux*	3780 lm (360°)
Luminous flux**	2970 lm (360°)
Lamp efficacy	140 lm/W
Colour temperature	4000 K
Colour of light	840
Beam angle	90 °
RA	80
Light source included	Yes
Producer of LED diodes	CREE
Uniformity of color SDCM max	3
Working temperature range	-20/+40 °
Lifespan	50000 h
Housing material	Aluminum
Degree of protection (IP)	IP54/20
Colour	Czarny
Dimension (AxBxC)	230x74 mm
Mounting hole	0210 mm
For use	Inside
Assembly method	Recessed
Application	Inside
Made in	PL



