

PRODUCT-DETAILS

# 6523-102

## 6523-102Dimmer MDRC, MW:3



### Informations générales

Extension du type de produit	6523-102
Code de produit	2CKA006512A0339
EAN	4011395212738
Description courte	6523-102Dimmer MDRC, MW:3
Description longue	<p>With rotary control, two-way switch and soft-catch. Optimised for dimming of retrofit LED lamps (LEDi). For dimmable Retrofit-LEDs (LEDi). For dimmable Retrofit-LEDs (LEDi) with conventional or electronic transformers. For incandescent lamps, 230 V tungsten halogen lamps, low-voltage halogen lamps with conventional or electronic transformers and dimmable energy-saving halogen lamps. Mix operation of LEDi with conventional loads possible. Via mode switch adjustable between leading edge control and trailing edge control. Low-noise level by MOSFET transistors. With electronic short-circuit protection. With electronic overload protection. With adjustable minimum brightness. Rated voltage: 230 V~, + 10% / - 10% Rated frequency: 50 Hz/60 Hz Nominal power: 2 - 100 W/VA (retrofit LED loads). Nominal power: 10 - 250 W/VA (non-LED loads).</p>

### Installation

Instructions et manuels	No document needed
-------------------------	--------------------

### Technique

Fiche produit, informations techniques	No document needed
Tension nominale (U <sub>r</sub> )	207 ... 253 V

Rated Control Supply Voltage (U <sub>s</sub> )	220...240 V
Fréquence (f)	50...60 Hz
Fréquence assignée (f)	50 ... 60 Hz
Puissance Watt	2...250 V·A
Actuator Type	Turn/push button
Type de raccordement	Screw Clamp
Type de montage	DIN-Rail
Finition de surface	Surface protection: Untreated Surface finishing: Matt
Matériau	Thermoplastic
RAL Number	RAL 7035 - Gris clair
Couleur	grey
Application Function	Electrical Load and Light Control
Control Supply Voltage	220...240 V

## Environnement

Température de l'air ambiant	Operation 0 ... +35 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E5904
REACH Declaration	2CKA309999E9999
SCIP	29c12a6d-60a3-4ae1-b2dd-1503c5f036f5 Germany (DE)

## Dimensions

Width in Number of Modular Spacings	3
Produit Largeur Net	53 mm
Produit Hauteur Net	85 mm
Produit Longueur Net	73 mm
Poids net	85 g

## Commande

Quantité minimum	1 pièce
Emballage Niveau 1 Unités	carton 1 pièce
Emballage Niveau 1 Poids	0.049 kg
Code douanier	85365080
Pays d'origine	Germany (DE)

## Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E1620
--------------------------------	-----------------

## Classifications

ETIM 8	EC000025 - Dimmer
--------	-------------------

ETIM 9	EC000025 - Dimmer
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
DEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27144014

---

## Catégories

---

Produits basse tension → Appareillage modulaire et parafoudres → Command and Signalling Devices → Control Switches, Pushbuttons and Indicator Lights

Produits basse tension → Wiring Accessories - StandAlone Electronics → Other Stand Alone Electronics → Other Stand Alone Electronics

