



CorePro LED candles and lusters

CorePro LEDcandle ND 7-60W E14 865 B38 FR

The CorePro LEDcandles and lusters are designed for retrofit replacement of incandescent lamps, and are particularly attractive for chandeliers. They are compatible with fixtures with an E14 holder for candles and E14 or E27 holders for lusters, and are available in either warm white, white or cool daylight color temperatures. LED lamps deliver huge energy savings and minimize maintenance cost. The CorePro LED candles and lusters are perfect for your basic lighting needs. They provide the beautiful light and dependable performance you expect from LED at an affordable price.

Product data

General Information		Operating and Electrical	
Cap-Base	E14 [E14]	Input Frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Nom)	7 W
Nominal Lifetime (Nom)	15000 h	Lamp Current (Nom)	65 mA
Switching Cycle	50000X	Wattage Equivalent	60 W
Technical Type	7-60W	Starting Time (Nom)	0.5 s
		Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.5
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	865 [CCT of 6500K]	T-Case Maximum (Nom)	90 °C
Luminous Flux (Nom)	830 lm		
Color Designation	Cool Daylight	Controls and Dimming	
Correlated Color Temperature (Nom)	6500 K	Dimmable	No
Luminous Efficacy (rated) (Nom)	118.57 lm/W		
Color Consistency	<6		
Color Rendering Index (Nom)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %		

CorePro LED candles and lusters

Mechanical and Housing

Bulb Finish	Frosted
Bulb Shape	B38

Approval and Application

Energy Consumption kWh/1000 h	7 kWh
-------------------------------	-------

Product Data

Full product code	871869674685100
Order product name	CorePro LEDcandle ND 7-60W E14 865 B38 FR

EAN/UPC - Product	8718696746851
Order code	929001394702
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001394702
Net Weight (Piece)	0.063 kg



Dimensional drawing



Product	D	C
CorePro LEDcandle ND 7-60W E14 865 B38 FR	38 mm	114 mm

Candle B38 7-60W 830lm 6500K E14 ND FR

Photometric data




CorePro LEDcandle 60W E14 865 FR B38

CorePro LEDcandle 60W E14 865 FR B38


CorePro LED candles and lusters

Photometric data




CorePro LEDcandle 60W E14 865 FR B38

Lifetime



LEDbulb 60W E14 827 FR B38



LEDbulb 60W E14 827 FR B38

