



CorePro Glass LED bulbs

CorePro LEDBulbND 4.3-40W E27 A60827 CLG

Featuring a classic heritage design, these filament LED lamps combine the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. A very easy choice for people who are looking for a retrofit LED replacement, these CorePro LED bulbs provide 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light in a vintage style. CorePro LED lighting that offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data

General Information		Operating and Electrical	
Cap-Base	E27 [E27]	Line Frequency	50 to 60 Hz
Nominal lifetime	15,000 hour(s)	Input Frequency	50 to 60 Hz
Switching Cycle	20,000	Power Consumption	4.3 W
Lighting Technology	LED	Lamp Current (Nom)	40 mA
Flux measurement reference	Sphere	Wattage Equivalent	40 W
Light Technical		Starting Time (Nom)	0.5 s
Color Code	827 [CCT of 2700K]	Warm-up time to 60% light	0.5 s
Luminous Flux	470 lumen	Power Factor (Fraction)	0.41
Color Designation	Warm White (WW)	Voltage (Nom)	220-240 V
Correlated Color Temperature (Nom)	2700 K	Temperature	
Luminous Efficacy (rated) (Nom)	109.00 lm/W	T-Case Maximum (Nom)	45 °C
Color Consistency	<6	Controls and Dimming	
Color rendering index (CRI)	80	Dimmable	No
LLMF At End Of Nominal Lifetime (Nom)	70 %		

CorePro Glass LED bulbs

Mechanical and Housing

Bulb Finish	Clear
Bulb Shape	A60 [A 60mm]

Approval and Application


Energy Consumption kWh/1000 h	5 kWh
EPREL Registration Number	387,405
CE mark	Yes
EU RoHS compliant	Yes

Product Data

Full product code	871951434716800
-------------------	-----------------


Order product name	CorePro LEDBulbND 4.3-40W E27 A60827
	CLG
Order code	929001890092
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material number (12NC)	929001890092
Full product name	CorePro LEDBulbND 4.3-40W E27 A60827
	CLG
EAN/UPC - Case	8719514347175

Dimensional drawing




Product	D	C
CorePro LEDBulbND 4.3-40W E27 A60827 CLG	60 mm	104 mm

Photometric data




Catalux Proseries 4.3 Philips Lighting B.V. Page 17



Spectral Power Distribution Colour

CorePro Glass LED bulbs

Photometric data




Light Distribution Diagram - CorePro LEDBulbND 4.3-40W E27 A60827 CLG

Lifetime



Life Expectancy Diagram - CorePro LEDBulbND 4.3-40W E27 A60827 CLG



Lumen Maintenance Diagram - CorePro LEDBulbND 4.3-40W E27 A60827 CLG

