




**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

## Blue Light 55 W 12 V PX26d

Car lamps from NEOLUX ensure the roads ahead are well-lit and visible to others.



### Product family benefits

- Stylish appearance
- High contrast
- Better visibility
- Remarkable illumination
- Affordable

### Product family features

- Bluish white light
- Xenon look
- Blue coating
- ECE certified lamps
- Good and reliable quality thanks to German technology

### Areas of application

- Headlight



N499B



N499B-2SCB

**Product information**

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

**Electrical data**

Power input	58 W
Test voltage	13.2 V
Nominal wattage	55.00 W
Nominal voltage	12.0 V

**Photometrical data**

Luminous flux	1500 lm
Luminous flux tolerance	±10 %

**Dimensions & weight**

Product weight	12.50 g
Length	59.0 mm
Diameter	12.0 mm

**Lifespan**

Lifespan Tc	550 h
Lifespan B3	330 h

**Additional product data**

Base (standard designation)	PX26d
-----------------------------	-------

**Capabilities**

Technology	Halogen lamp
------------	--------------

**Certificates & standards**

ECE category	H7
British standard	477/499

**Logistical data**

Order reference	N499B
-----------------	-------

**Environmental information**


Date of Declaration	19-01-2022
Primary Article Identifier	4006584359097   4008321545664   4008321771353   4008321855039   4052899466326   4052899501058   4052899995918   4055462245861   4052899195851

Candidate List Substance 1	No declarable substances contained
----------------------------	------------------------------------

Declaration No. in SCIP database	In work
----------------------------------	---------

**Packaging Information**

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N499B	4052899466326	Folding box	1
N499B-2SCB	4052899501058	Soft cover box	2



**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting  
OSRAM GmbH

Marcel-Breuer-Str 6  
80807 Munich, Germany

Phone +49 89 6213-0  
Fax +49 89 6213-2020

[www.neolux-lighting.com](http://www.neolux-lighting.com)