

# PRODUCT DATASHEET

## 64331 FL-A 30-10

Halogen lamps with reflector, current-controlled, 30...40 W | Halogen lamps with reflector, current-controlled, 30...40 W



---

## TECHNICAL DATA

### Electrical data

Nominal wattage	30 W
Construction wattage	30.00 W
Nominal current	6.6 A

### Photometrical data

Luminous intensity	4000 cd
Color temperature	3200 K
Color rendering index Ra	100
Light color	1032

### Dimensions & Weight

Overall length	45.00 mm
Length with base excl. base pins/connection	48 mm
Diameter	50.2 mm
Product weight	23.00 g

### Lifespan

Lifespan	1000 h
----------	--------

### Additional product data

Base (standard designation)	Leads w/female flat connectors
Mercury content	0.0 mg
Product remark	Flood adjustment

### Capabilities

Burning position	h45
------------------	-----

### Country-specific categorizations

Order reference	64331
-----------------	-------

### Energy labelling regulation data acc EU 2019/2015



Light source cap-type (or other electric interface)	Leads w/female flat connectors
Length	48.00 mm <sup>1)</sup>
Height	50.2 mm
Width	50.2 mm

<sup>1)</sup> Maximum 48.0 mm

## Safety advice

- To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

## DOWNLOAD DATA

DOWNLOAD DATA	
	PRODUCT DATASHEET
	Advertisements

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321102560	Folding box 1	63 mm x 50 mm x 50 mm	37.00 g	0.16 dm <sup>3</sup>
4008321102577	Shipping box 20	257 mm x 130 mm x 111 mm	804.67 g	3.71 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## References / Links

- For more information on airfield lamps see the brochure: "The reliable guiding stars - Effective solutions for airfield lighting: Tungsten halogen lamps and LED light sources".

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.