

# LED GLS

WOJ+14488



See  
more

LED source LED GLS 20 W with E-27 base and with the shape of a traditional light bulb. It is characterised by a high light efficacy 115 lm/W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier



Power	<b>20 W</b>	Voltage	<b>230 V</b>
Luminous flux**	<b>2300 lm (360°)</b>	Colour temperature	<b>3000 K</b>
Colour of light	<b>WW</b>	Beam angle	<b>160 °</b>
Socket	<b>E27</b>	Degree of protection (IP)	<b>IP20</b>

## Technical data

---

Code	W0J+14488
Power	20 W
Nominal current	165 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	20 kWh/1000h
Frequency	50HZ Hz
Power factor	0,5
Useful luminous flux*	2300 lm (360°)
Luminous flux**	2300 lm (360°)
Lamp efficacy	115 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	160 °
RA	>80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 to +40 °
Lifespan	17000 h
Socket	E27
Degree of protection (IP)	IP20
Dimension (AxBxC)	65x132 mm
For use	Inside
Made in	PRC

## Related documents

---



 Declaration of Conformity

---

