

PRODUCT DATASHEET 64626 HLX

Low-voltage halogen lamps without reflector | Low-voltage halogen lamps without reflector



TECHNICAL DATA

Electrical data

| Nominal wattage | 100 W |
|----------------------|----------|
| Construction wattage | 100.00 W |
| Nominal voltage | 12 V |

Photometrical data

| Luminous flux | 3500 lm |
|--------------------------|---------|
| Luminous efficacy | 35 lm/W |
| Color temperature | 3450 K |
| Color rendering index Ra | 100 |
| Light color | 1034 |

Dimensions & Weight

| Overall length | 48.00 mm |
|---------------------------|----------|
| Light center length (LCL) | 18,0 mm |
| Diameter | 11.5 mm |
| Product weight | 8.00 g |

Lifespan

| Lifespan | 50 h |
|----------|------|

Additional product data

| Base (standard designation) | PG22 |
|-----------------------------|----------------------|
| Mercury content | 0.0 mg |
| Product remark | Available on request |

Capabilities

| 1 | | |
|---|------------------|-----|
| | Burning position | s90 |

Country-specific categorizations

| Order reference | 64626 HLX |
|-----------------|-----------|
|-----------------|-----------|

Energy labelling regulation data acc EU 2019/2015

| Light source cap-type (or other electric interface) | PG22 |
|---|----------|
| Length | 48.00 mm |
| Height | 11.5 mm |
| Width | 11.5 mm |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|----------|
| 4050300006765 | Folding box 1 | 70 mm x 23 mm x 25 mm | 12.00 g | 0.04 dm³ |
| 4050300236421 | Shipping box 30 | 158 mm x 81 mm x 131 mm | 342.00 g | 1.68 dm³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.