



# MASTERColour CDM MW Eco

## MASTERColour CDM-E MW eco 360W/842 E40

Ceramic metal halide lamps with clear tubular or coated ellipsoid outer bulb, tailor-made to replace and outperform quartz metal halide lamps on existing gear.

### Warnings and Safety

- For use with control gear designed for high pressure mercury or high-pressure sodium lamps with external ignitor
- A lamp breaking is extremely unlikely to have an impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- Warm restart time can be up to 15 minutes; T15 ignitors therefore advised.

### Product data


Operating and Electrical		Correlated Color Temperature (Nom)		4200 K
Power Consumption	360.0 W	Luminous Efficacy (rated) (Nom)	90 lm/W	
Voltage (Nom)	118 V	Color rendering index (CRI)	88	
Voltage (Nom)	118 V			
General Information		Controls and Dimming		
Cap-Base	E40 [E40]	Dimmable	No	
Operating Position	UNIVERSAL [Any or Universal (U)]	Mechanical and Housing		
Flux measurement reference	Sphere	Bulb Finish	Coated glass	
Light Technical		Bulb Material	Hard Glass	
Color Code	842 [CCT of 4200K]	Bulb Shape	B90 [B 90mm]	
Luminous Flux	32,400 lumen	Approval and Application		
Color Designation	Cool White (CW)	Mercury (Hg) Content (Max)	48 mg	
Chromaticity Coordinate X (Nom)	0.371	Mercury (Hg) Content (Nom)	48.0 mg	
Chromaticity Coordinate Y (Nom)	0.366	Energy Consumption kWh/1000 h	360 kWh	

# MASTERCLOUR CDM MW Eco

EPREL Registration Number	473.316
<b>Product Data</b>	
Full product code	871869659568800
Order product name	MASTERCLOUR CDM-E MW eco 360W/842 E40
Order code	928070219830
Numerator - Quantity Per Pack	1



Numerator - Packs per outer box	12
Material number (12NC)	928070219830
Full product name	MASTERCLOUR CDM-E MW eco 360W/842 E40
EAN/UPC - Case	8718696595695

## Dimensional drawing



Product	D (max)	C (max)
MASTERCLOUR CDM-E MW eco 360W/842 E40	91 mm	226 mm

## Photometric data





Light Distribution Diagram - MASTERColour CDM-E MW eco 360W/842 E40

Spectral Power Distribution Colour - MASTERColour CDM-E MW eco 360W/842 E40

# MASTERColour CDM MW Eco

## Lifetime



Lumen Maintenance Diagram - MASTERColour CDM-E MW eco 360W/842 E40

Life Expectancy Diagram - MASTERColour CDM-E MW eco 360W/842 E40

