

# LED CANDLE

W0J+14629

See  
more

Smart light bulb Bluetooth Mesh, LED source CANDLE with possibility to change the colour of the light (RGB), with the possibility of changes to the colour temperature of light (CCT), with the possibility of dimming (DIMM) and remote commissioning and control via remote control, light switch and app on your mobile device. It is an LED source, a light bulb with E-14 base and with a 'candle' shape'. It is characterised by a high light efficacy 106 lm/W



Power	<b>4,9 W</b>	Voltage	<b>230 V</b>
Luminous flux**	<b>520 lm (360°)</b>	Colour temperature	<b>2700-6000 K</b>
Colour of light	<b>CCT/RGB</b>	Beam angle	<b>220 °</b>
Socket	<b>E14</b>	Degree of protection (IP)	<b>IP20</b>

## Technical data

---

Code	W0J+14529
Power	4,9 W
Nominal current	45 mA
Voltage	230 V
Energy efficiency class	F
Energy consumption	5 kWh/1000h
Frequency	50HZ Hz
Power supply included	+
Power factor	0,5
Useful luminous flux*	520 lm (360°)
Luminous flux**	520 lm (360°)
Lamp efficacy	106 lm/W
Colour temperature	2700-6000 K
Colour of light	CCT/RGB
Beam angle	220 °
RA	>80
Uniformity of color SDCM max	5
Dimmable	SMART
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	E14
Degree of protection (IP)	IP20
Dimension (AxBxC)	39x114 mm
Made in	PRC
Other	RGBW(2700-6000K) ,

## Related documents

---



 Declaration of Conformity

---

