



# MASTER LEDspot ExpertColor LV



## MAS LED ExpertColor 7.5-43W MR16 930 36D

MASTER LEDspot LV ExpertColor creates a warm and comfortable ambience for hospitality venues, homes and restaurants. It creates such an ambience with superior lighting that has a customized spectrum, high CRI, and deep dimming feature. The result? A beautiful lighting experience. What's more, the innovative, trimless lens design will suit almost any interior decor with its clean and neat look. In addition, you can take advantage of the full ExpertColor family, which also includes LEDspot MV and LEDspot Par lamps.

#### **Product data**

General Information	
Cap-Base	GU5.3
Nominal lifetime	40,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Narrow Cone
Light Technical	
Color Code	930 [CCT of 3000K]
Beam Angle (Nom)	36 degree(s)
Luminous Flux	500 lm
Luminous Intensity (Nom)	1,550 cd
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	66 lm/W
Color Consistency	<3
Color rendering index (CRI)	92
LLMF At End Of Nominal Lifetime (Nom)	70 %

Luminous Flux in 90° Cone (Rated)	500 lm	
Photobiological safety according to EN 62471 RG1		
Operating and Electrical		
Line Frequency	- Hz	
Input Frequency	- Hz	
Power Consumption	7.5 W	
Lamp Current (Nom)	720 mA	
Wattage Equivalent	43 W	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.7	
Voltage (Nom)	ac electronic 12 V	
	<u> </u>	
Temperature		
T-Case Maximum (Nom)	93 ℃	


Datasheet, 2025, March 17 data subject to change

## **MASTER LEDspot ExpertColor LV**

Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Shape	MR16
Net Weight (Piece)	0.052 kg
Approval and Application	
Energy Efficiency Class	G
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	8 kWh
EPREL Registration Number	624224
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
<b>Application Conditions</b>	
can it be used in closed luminaires	No


MAS LED ExpertColor 7.5-43W MR16 930
36D
MAS LED ExpertColor 7.5-43W MR16 930
36D
871951435873700
929003080102
929003080102
1
8719514358737
10
8719514358744

## Dimensional drawing




Product	D	С
MAS LED ExpertColor 7.5-43W MR16 930 36D	50.5 mm	46 mm

#### Photometric data




Accent Lighting Spots - MAS LED ExpertColor 7.5-43W MR16 930 36D



Spectral Power Distribution Colour - MAS LED ExpertColor 7.5-43W MR16 930 36D


## **MASTER LEDspot ExpertColor LV**


#### Photometric data



Light Distribution Diagram - MAS LED ExpertColor 7.5-43W MR16 930 36D

### Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - MAS LED ExpertColor 7.5-43W MR16 930 36D



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.