



PANEL PERFORMANCE 1200



| | EAN | l x w x h [mm] | W | **EM W (230VDC) | VAC | Hz | lm | lm/W | **EM lm (230VDC) |
|----------------------------------|---------------|------------------|----|-----------------|----------|------------|------|------|------------------|
| PL PFM 1200 33W/3000K | 4058075440050 | 1195 x 295 x 9 | 33 | - | 220-240V | 50/60 Hz | 4000 | 120 | - |
| PL PFM 1200 33W/4000K | 4058075440074 | 1195 x 295 x 9 | 33 | - | 220-240V | 50/60 Hz | 4000 | 120 | - |
| PL PFM 1200 DALI 33W/3000K | 4058075440135 | 1195 x 295 x 9 | 33 | 6 | 220-240V | 0/50/60 Hz | 4000 | 120 | 600 |
| PL PFM 1200 DALI 33W/4000K | 4058075440173 | 1195 x 295 x 9 | 33 | 6 | 220-240V | 0/50/60 Hz | 4000 | 120 | 600 |
| PL PFM 1200 30W/3000K UGR19 | 4058075440098 | 1195 x 295 x 9.8 | 30 | - | 220-240V | 50/60 Hz | 3450 | 115 | - |
| PL PFM 1200 30W/4000K UGR19 | 4058075440111 | 1195 x 295 x 9.8 | 30 | - | 220-240V | 50/60 Hz | 3600 | 120 | - |
| PL PFM 1200 DALI 30W/3000K UGR19 | 4058075440210 | 1195 x 295 x 9.8 | 30 | 5 | 220-240V | 0/50/60 Hz | 3450 | 115 | 540 |
| PL PFM 1200 DALI 30W/4000K UGR19 | 4058075440630 | 1195 x 295 x 9.8 | 30 | 5 | 220-240V | 0/50/60 Hz | 3600 | 120 | 540 |
| PL PFM 1200 30W/940 UGR19 | 4058075522008 | 1195 x 295 x 9.8 | 30 | - | 220-240V | 50/60 Hz | 3000 | 100 | - |
| PL PFM 1200 30W/940 UGR19 DALI | 4058075522022 | 1195 x 295 x 9.8 | 30 | 5 | 220-240V | 0/50/60 Hz | 3000 | 100 | 450 |

| | EAN | Φ_{use} (lm) | K | IP | ∇ | R _a | t_a (°C) | PF |  |
|----------------------------------|---------------|-------------------|------|-------|----------|----------------|------------|--------|--|
| PL PFM 1200 33W/3000K | 4058075440050 | 4000 | 3000 | 40/20 | 120° | > 80 | -10...+45 | > 0.93 | 1.6 kg |
| PL PFM 1200 33W/4000K | 4058075440074 | 4000 | 4000 | 40/20 | 120° | > 80 | -10...+45 | > 0.93 | 1.6 kg |
| PL PFM 1200 DALI 33W/3000K | 4058075440135 | 4000 | 3000 | 40/20 | 120° | > 80 | -10...+45 | > 0.93 | 1.6 kg |
| PL PFM 1200 DALI 33W/4000K | 4058075440173 | 4000 | 4000 | 40/20 | 120° | > 80 | -10...+45 | > 0.93 | 1.6 kg |
| PL PFM 1200 30W/3000K UGR19 | 4058075440098 | 3000 | 3000 | 40/20 | 90° | > 80 | -10...+45 | > 0.93 | 1.7 kg |
| PL PFM 1200 30W/4000K UGR19 | 4058075440111 | 3100 | 4000 | 40/20 | 90° | > 80 | -10...+45 | > 0.93 | 1.7 kg |
| PL PFM 1200 DALI 30W/3000K UGR19 | 4058075440210 | 3000 | 3000 | 40/20 | 90° | > 80 | -10...+45 | > 0.93 | 1.7 kg |
| PL PFM 1200 DALI 30W/4000K UGR19 | 4058075440630 | 3100 | 4000 | 40/20 | 90° | > 80 | -10...+45 | > 0.93 | 1.7 kg |
| PL PFM 1200 30W/940 UGR19 | 4058075522008 | 2580 | 4000 | 40/20 | 90° | > 90 | -10...+45 | > 0.93 | 1.7 kg |
| PL PFM 1200 30W/940 UGR19 DALI | 4058075522022 | 2580 | 4000 | 40/20 | 90° | > 90 | -10...+45 | > 0.93 | 1.7 kg |

