

PRODUCT DATASHEET

64653 HLX

Halogen lamps with reflector MR16 | Halogen lamps with reflector MR16



TECHNICAL DATA

Electrical data

Nominal wattage	250 W
Construction wattage	250.00 W
Nominal voltage	24 V

Photometrical data

Luminous flux	900 lm
Luminous efficacy	3 lm/W
Color rendering index Ra	100
Light color	10

Dimensions & Weight

Overall length	44.50 mm
Light center length (LCL)	35,0 mm
Diameter	51,0 mm
Product weight	28.7 g

Lifespan

Lifespan	50 h
----------	------

Additional product data

Base (standard designation)	GX5.3
Mercury content	0.0 mg

Capabilities

Burning position	Any
------------------	-----

Country-specific categorizations

Order reference	64653 HLX
-----------------	-----------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	GX5.3
Length	44.50 mm
Height	51,0 mm
Width	51,0 mm

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4052899329348	Folding box 1	46 mm x 46 mm x 58 mm	36.70 g	0.12 dm ³
4052899329355	Shipping box 20	238 mm x 105 mm x 123 mm	682.00 g	3.07 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

- For further technical information please refer to the following OSRAM brochure: "Technology and applications, Low-voltage tungsten-halogen lamps" "Halogen lamps, low and medium voltage for entertainment, technical and medical applications" cross reference list

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.