



# MASTER SON-T PIA Plus

## MST SON-T PIA Plus 150W/220 E40 - 1SL/12

High Pressure Sodium lamp with clear tubular outer bulb, high output and long reliable lifetime

#### **Warnings and Safety**

- · Control gear must include end-of-life protection (IEC60662, IEC 62035)
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

### **Product data**

Operating and Electrical				
Power Consumption	155.0 W			
Voltage (Nom)	104 V			
Voltage (Nom)	104 V			
General Information				
Cap-Base	E40 [E40]			
Operating Position	UNIVERSAL [Any or Universal (U)]			
Flux measurement reference	Sphere			
Light Technical				
Color Code	220 [CCT of 2000K]			
Luminous Flux	17,800 lumen			
Chromaticity Coordinate X (Nom)	0.535			
Chromaticity Coordinate Y (Nom)	0.42			
Correlated Color Temperature (Nom)	2000 K			
Luminous Efficacy (rated) (Nom)	115.16 lm/W			

Color rendering index (CRI)	-		
Controls and Dimming			
Dimmable	Yes		
Mechanical and Housing			
Bulb Finish	Clear		
Bulb Shape	T46 [T 46mm]		
Approval and Application			
Mercury (Hg) Content (Max)	15.1 mg		
Mercury (Hg) Content (Nom)	15 mg		
Energy Consumption kWh/1000 h	155 kWh		
EPREL Registration Number	473,383		
Product Data			
Full product code	871150019229515		


Datasheet, 2023, May 16 data subject to change

## **MASTER SON-T PIA Plus**

Order product name	MST SON-T PIA Plus 150W/220 E40 - 1SL/12
Order code	928150909230
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12
Material number (12NC)	928150909230


Full product name	MST SON-T PIA Plus 150W/220 E40 - 1SL/12		
EAN/UPC - Case	8711500192721		


#### Dimensional drawing




Product	D (max)	0	L	C (max)
MST SON-T PIA Plus 150W/220 E40 - 1SL/12	48 mm	61 mm	132 mm	210 mm

#### Photometric data









Light Distribution Diagram - MST SON-T PIA Plus 150W/220 E40 - 1SL/12

Spectral Power Distribution Colour - MST SON-T PIA Plus 150W/220 E40 - 1SL/12

## Lifetime





Life Expectancy Diagram - MST SON-T PIA Plus 150W/220 E40 - 1SL/12

Lumen Maintenance Diagram - MST SON-T PIA Plus 150W/220 E40 - 1SL/12

## **MASTER SON-T PIA Plus**



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.