

PRODUCT DATASHEET

SON-T 250 W E40

SON-T | High-pressure sodium vapor lamps for open and enclosed luminaires

Areas of application

- Streets
- Tunnels, underpasses
- Buildings, monuments, bridges
- Industrial installations
- Car parks, courtyards
- Parks and gardens
- Approved only for use in enclosed luminaires
- Outdoor applications only in suitable luminaires

Product benefits

- Enables a two-year lamp replacement cycle
- Ideal for compact floodlights

Product features

- Operation in any burning position possible

TECHNICAL DATA

Electrical data

| | |
|----------------------|----------|
| Nominal wattage | 250 W |
| Construction wattage | 250.00 W |
| Nominal current | 3 A |

Dimensions & Weight

| | |
|----------------|-----------|
| Overall length | 257.00 mm |
| Diameter | 47.00 mm |
| Product weight | 173.00 g |

Additional product data

| | |
|-----------------------------|--------|
| Base (standard designation) | E40 |
| Mercury content | 3.0 mg |

Country-specific categorizations

| | |
|-----------------|-----------------|
| Order reference | SON-T 250W T E4 |
|-----------------|-----------------|

Energy labelling regulation data acc EU 2019/2015

| | |
|---|-----------|
| Light source cap-type (or other electric interface) | E40 |
| Length | 257.00 mm |
| Height | 47.00 mm |
| Width | 47.00 mm |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4008321387608 | Sleeve 1 | 51 mm x 51 mm x 325 mm | 202.00 g | 0.85 dm ³ |
| 4008321387615 | Shipping box 12 | 222 mm x 171 mm x 374 mm | 2798.00 g | 14.20 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.